ICONS LEGEND



Made of polished or brushed finish Stainless Steel



8 mm extra-clear or clear tempered glass



6 mm and 8 mm extra-clear or clear tempered glass



6 mm extra-clear or clear tempered glass



Extra-clear, coloured, matt and reflective glass is available



Standard height 150 cm



Standard height 190 cm



Standard height 200 cm



Standard height 210 and 200 cm



Made-to-measure heights



Made-to-measure widths are available



"SOFT CLOSE" assisted closing system supplied standard



No plastic gaskets



Shower enclosures without dam Stainless Steel profile

CABINE DOCCIA IN ACCIAIO INOX
STAINLESS STEEL SHOWER ENCLOSURE
PAROIS EN ACIER INOX





ARAXIS 4
ARBATAX 10
CHIA 28
JANAS 32
THIESI 38
TIRSO 50
BITHIA 60
SILIS 76
THIANA 90
SILICA 102
PALAU 112
TRASPARENZA 134
SOPRAVASCA 144



GLASS 154
CUSTOMIZATIONS 160
HANDLES AND ACCESSORIES 166
SHOWER COLUMNS 172
LEAK FREE 176

Design can be considered intelligent when it subtracts unnecessary elements and makes the entire structure more essential. The handle of the new Araxis collection is nothing more than the central portion of the vertical steel profile.

The panel slides and, once the door is closed, the handle coincides perfectly with the upper and lower portions of the profile, fixed to the walls, so the mast is recomposed in its entirety. Enveloped in silence, thanks to the innovative Soft Close system which reduces every noise caused by the sliding panels, the new Araxis collection offers a dimension of deep relaxation.

NO PLASTIC GASKETS

SHOWER SCREEN WITH SLIDING DOOR














8 mm extra-clear tempered glass

Standard height 210 cm

Supplied as standard with "Soft Close" assisted closing

Made-to-measure widths

No plastic gaskets







OPTIONAL EXTRAS:

Coloured, matt and reflective glass is available > PAG. 154

Custom made heights are available > PAG. 163




SCREEN



SCREEN + FIXED SIDE

Right-handed models with handle on the right are shown. All left-handed models are also available. Non-reversible doors and cabins.





SHOWER SCREEN WITH SLIDING DOOR AND "SOFT CLOSE" ASSISTED CLOSING SYSTEM. SOLUTION FOR NICHE, LEFT MODEL (HANDLE ON THE LEFT) SHOWN.

www.calibe.co.uk/511

COLOURED AND MIRRORED GLASS > PAG. 156

TOTAL OR PARTIAL MATT GLASS > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164


ACCESSORIES > PAG. 170

ARAXIS SCREEN












Standard features without extra charge

- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm extra-clear tempered glass.
- > Standard height 210 cm.
- > Upon request 200 cm height without extra charge.
- > "Soft Close" assisted closing.
- > Sliding doors opening.
- > Made-to-measure widths.
- > No plastic gaskets.

SCREEN	H 210 CM
PRICE STEP	ART.
FROM 98 TO 109 CM	721AXI
FROM 110 TO 119 CM	722AXI
FROM 120 TO 129 CM	723AXI
FROM 130 TO 139 CM	724AXI
FROM 140 TO 149 CM	725AXI
FROM 150 TO 159 CM	726AXI
FROM 160 TO 169 CM	727AXI
FROM 170 TO 179 CM	728AXI
FROM 180 TO 189 CM	729AXI
FROM 190 TO 200 CM	730AXI

Optional with extra charge

- > Customised height from 190 cm to 209 cm, except height 200cm – PAG. 163
- > Coloured or reflective glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170






PLEASE PROVIDE A MIN. OF 20 CM ABOVE THE CABIN SHOWER TO ALLOW INSTALLATION.

HANDLE INTEGRATED IN THE VERTICAL FRAME. Front handle width for niche model: 20 mm

SCREEN SHOWER SLIDING DOOR AND "SOFT CLOSE" ASSISTED CLOSING SYSTEM AS STANDARD.



NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

LEFT MODEL

WITH HANDLE ON THE LEFT

To complete the order please specify:

RIGHT MODEL

WITH HANDLE ON THE RIGHT

- > the recess size of the niche at the three heights > cover flap
- > the position (right or left) of the handle
- > the Stainless Steel finishing (polished or brushed)
- the glass (coloured, matt, reflective) > PAG. 154

Extensibility ± 1 cm from the size indicated on confirmation of the order

Entrance span:

Screen from 98 to 107 cm	43 cm
Screen from 108 to 117 cm	48 cm
Screen from 118 to 137 cm	53 cm
Screen from 138 to 157 cm	60 cm
Screen from 158	70 cm

SHOWER SCREEN WITH SLIDING DOOR E SISTEMA "SOFT CLOSE" CORNER SOLUTION, MODEL WITH HANDLE ON THE LEFT - FIXED LEFT SIDE.

www.calibe.co.uk/512

COLOURED AND MIRRORED GLASS > PAG. 156

TOTAL OR PARTIAL MATT GLASS > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170

ARAXIS SCREEN + FIXED SIDE (INOX) (18) (210) (19) (19)











Standard features without extra charge


- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm extra-clear tempered glass.
- > Standard height 210 cm.
- > Upon request 200 cm height without extra charge.
- > "Soft Close" assisted closing.
- > Sliding doors opening.
- > Made-to-measure widths.
- > No plastic gaskets.


Optional with extra charge


- > Customised height from 190 cm to 209 cm, except height 200cm – PAG. 163
- > Coloured or reflective glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

SCREEN	H 210 CM
PRICE STEP	ART.
FROM 98 TO 109 CM	721AXI
FROM 110 TO 119 CM	722AXI
FROM 120 TO 129 CM	723AXI
FROM 130 TO 139 CM	724AXI
FROM 140 TO 149 CM	725AXI
FROM 150 TO 159 CM	726AXI
FROM 160 TO 169 CM	727AXI
FROM 170 TO 179 CM	728AXI
FROM 180 TO 189 CM	729AXI
FROM 190 TO 200 CM	730AXI

FIXED SIDE	H 210 CM
PRICE STEP	ART.
UP TO 69 CM	722FIS
FROM 70 TO 79 CM	723FIS
FROM 80 TO 89 CM	724FIS
FROM 90 TO 99 CM	725FIS
FROM 100 TO 109 CM	726FIS
FROM 110 TO 119 CM	727FIS
FROM 120 TO 129 CM	728FIS
FROM 130 TO 139 CM	729FIS








MODEL WITH HANDLE ON THE LEFT FIXED SIDE IN LEFT CORNER



PLEASE PROVIDE A MIN. OF 20 CM ABOVE THE CABIN SHOWER TO ALLOW INSTALLATION.

HANDLE INTEGRATED IN THE VERTICAL FRAME. Front handle width for corner model: 27 mm

SCREEN SHOWER SLIDING DOOR AND "SOFT CLOSE" ASSISTED CLOSING SYSTEM AS STANDARD.



NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the position (right or left) of the handle
- > the Stainless Steel finishing (polished or brushed)
- > the glass (coloured, matt, reflective) > PAG. 154

Extensibility ± 0,5 cm from the size indicated on confirmation of the order

Entrance span:

Screen from 98 to 107 cm	43 cm
Screen from 108 to 117 cm	48 cm
Screen from 118 to 137 cm	53 cm
Screen from 138 to 157 cm	60 cm
Screen from 158	70 cm

Clean style for this shower enclosure with sliding door. The glass panel is lit up by the essential vertical steel handle. The collection also includes Arbatax Move, with electronic opening system. Just press the button replace the handle, and the panel gently slides. Hush and comfortable, Arbatax Move adds a stylish luxury touch to your bathroom. Designed and built to comply with EN14428 e EN60335 safety standards, Arbatax Move simply requires a connection to low voltage (12 V) power supply, which can easily be made when the electrical system is completed. The sliding motion of the door is controlled by sensors and an electronic board that prevent fingers from being crushed, the system also release the door to be opened manually, in case of malfunction or power failure.

SHOWER SCREEN WITH SLIDING DOOR











NO PLASTIC GASKETS

Made of polished or brushed finishing Stainless Steel

8 mm clear tempered glass Standard height 200 cm Made-to-measure widths

No plastic gaskets







OPTIONAL EXTRAS:

Extra-clear, coloured, matt and reflective glass is available > PAG. 154

Custom made heights are available > PAG. 163

The "SOFT CLOSE" assisted closing system is available > PAG. 171









SCREEN +




SCREEN

SCREEN + **FIXED SIDE**







ON-WALL SIDE PANEL




SCREEN + 2 FIXED SIDES

SYMMETRICAL

ASYMMETRICAL

MOVE

MOVE + FIXED SIDE















- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Sliding doors opening.
- > Made-to-measure widths.
- > No plastic gaskets.

Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm - PAG. 163
- > "Soft Close" assisted closing PAG. 171
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159 > Special shapes frames — PAG. 164
- > Accessories PAG. 170



PLEASE PROVIDE A MIN. OF 20 CM ABOVE THE CABIN SHOWER TO ALLOW INSTALLATION.

Entrance span:

Screen from 158

Screen from 98 to 107 cm 40 cm

Screen from **108** to **117 cm** 45 cm

Screen from **118** to **137 cm** 50 cm


Screen from **138** to **157 cm** 57 cm

67 cm

H 200 CM **SCREEN** PRICE STEP ART. FROM 98 TO 109 CM 701ARB FROM 110 TO 119 CM 702ARB FROM 120 TO 129 CM 703ARB FROM **130** TO **139 CM** 704ARB FROM **140** TO **149 CM** 705ARB FROM 150 TO 159 CM 706ARB FROM **160** TO **169 CM** 707ARB FROM 170 TO 179 CM 708ARB FROM 180 TO 189 CM 709ARB FROM **190** TO **199 CM** 710ARB FROM 200 TO 209 CM 711ARB FROM 210 TO 220 CM 712ARB







LEFT MODEL WITH HANDLE ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the recess size of the niche at the three heights > cover flap
- > the position (right or left) of the handle
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 1,5 cm from the size indicated on confirmation of the order

COLOURED AND MIRRORED GLASS > PAG. 156

7

SHOWER SCREEN WITH SLIDING DOOR. SOLUTION FOR NICHE, RIGHT MODEL (HANDLE ON THE RIGHT) SHOWN.

www.calibe.co.uk/521



SHOWER SCREEN WITH SLIDING DOOR. CORNER SOLUTION, MODEL WITH HANDLE ON THE RIGHT - FIXED RIGHT SIDE.

www.calibe.co.uk/522

COLOURED AND MIRRORED GLASS MATT GLASS > PAG. 156 > PAG. 159

ARBATAX SCREEN + FIXED SIDE










Standard features without extra charge

- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Sliding doors opening.
- > Made-to-measure widths.
- > No plastic gaskets.

Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm
- > "Soft Close" assisted closing PAG. 171
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170


SCREEN	H 200 CM
PRICE STEP	ART.
FROM 98 TO 109 CM	701ARB
FROM 110 TO 119 CM	702ARB
FROM 120 TO 129 CM	703ARB
FROM 130 TO 139 CM	704ARB
FROM 140 TO 149 CM	705ARB
FROM 150 TO 159 CM	706ARB
FROM 160 TO 169 CM	707ARB
FROM 170 TO 179 CM	708ARB
FROM 180 TO 189 CM	709ARB
FROM 190 TO 199 CM	710ARB
FROM 200 TO 209 CM	711ARB
FROM 210 TO 220 CM	712ARB






PLEASE PROVIDE A MIN. OF 20 CM ABOVE THE CABIN SHOWER TO ALLOW INSTALLATION.







LEFT MODEL WITH HANDLE ON THE LEFT FIXED SIDE ON THE LEFT



RIGHT MODEL WITH HANDLE ON THE RIGHT FIXED SIDE ON THE LEFT



LEFT MODEL WITH HANDLE ON THE LEFT FIXED SIDE ON THE RIGHT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the position (right or left) of the handle
- > the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility of fixed sides only \pm 0,8 cm from the size indicated on confirmation of the order

Entrance span:

Screen from 98 to 107 cm	40 cm
Screen from 108 to 117 cm	45 cm
Screen from 118 to 137 cm	50 cm
Screen from 138 to 157 cm	57 cm
Screen from 158	67 cm

TOTAL OR PARTIAL SHAPES AND MADE TO SPECIAL PROFILES ACCESSORIES MEASURE HEIGHTS > PAG. 170 > PAG. 164 > PAG. 162











- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Sliding doors opening.
- > Made-to-measure widths.
- > No plastic gaskets.

Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm – PAG. 163
- > "Soft Close" assisted closing PAG. 171
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159 > Special shapes frames — PAG. 164
- > Accessories PAG. 170

SCREEN	H 200 CM
PRICE STEP	ART.
FROM 98 TO 109 CM	701ARB
FROM 110 TO 119 CM	702ARB
FROM 120 TO 129 CM	703ARB
FROM 130 TO 139 CM	704ARB
FROM 140 TO 149 CM	705ARB
FROM 150 TO 159 CM	706ARB
FROM 160 TO 169 CM	707ARB
FROM 170 TO 179 CM	708ARB
FROM 180 TO 189 CM	709ARB
FROM 190 TO 199 CM	710ARB
FROM 200 TO 209 CM	711ARB
FROM 210 TO 220 CM	712ARB

EACH FIXED SIDE	H 200 CM
PRICE STEP	ART.
UP TO 69 CM	701FIS
FROM 70 TO 79 CM	702FIS
FROM 80 TO 89 CM	703FIS
FROM 90 TO 99 CM	704FIS
FROM 100 TO 109 CM	705FIS
FROM 110 TO 119 CM	706FIS
FROM 120 TO 129 CM	707FIS
FROM 130 TO 139 CM	708FIS



PLEASE PROVIDE A MIN. OF 20 CM ABOVE THE CABIN SHOWER TO ALLOW INSTALLATION.

Entrance span:

Screen from 158


Screen from 98 to 107 cm 40 cm


Screen from **108** to **117 cm** 45 cm


Screen from **118** to **137 cm** 50 cm

Screen from **138** to **157 cm** 57 cm

67 cm







LEFT MODEL WITH HANDLE ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

> the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

of the order

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the position (right or left) of the handle
- > the Stainless Steel finishing (polished or brushed)

Extensibility of fixed sides only \pm 0,8 cm from the size indicated on confirmation

COLOURED AND MIRRORED GLASS > PAG. 156

9

ARBATAX

THREE-SIDE SOLUTION, RIGHT MODEL (HANDLE ON THE RIGHT).

SHOWER SCREEN WITH SLIDING DOOR.

www.calibe.co.uk/523

SHOWER SCREEN WITH SLIDING DOOR. CORNER SOLUTION, RIGHT MODEL (HANDLE ON THE RIGHT) - ON-WALL SIDE PANEL IN THE RIGHT CORNER.



SHOWER SCREEN WITH SLIDING DOOR. SOLUTION FOR NICHE, RIGHT MODEL (HANDLE ON THE RIGHT) - ON-WALL LINEAR SIDE PANEL ON THE RIGHT.

www.calibe.co.uk/524

COLOURED AND MIRRORED GLASS > PAG. 156

<u>&</u>

TOTAL OR PARTIAL MATT GLASS > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170

ARBATAX N-WALL SIDE PANEL







Standard features without extra charge

- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Sliding doors opening.
- > Made-to-measure widths.
- > No plastic gaskets.

Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm – PAG. 163
- > "Soft Close" assisted closing PAG. 171
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170


SCREEN	H 200 CM
PRICE STEP	ART.
FROM 98 TO 109 CM	701ARB
FROM 110 TO 119 CM	702ARB
FROM 120 TO 129 CM	703ARB
FROM 130 TO 139 CM	704ARB
FROM 140 TO 149 CM	705ARB
FROM 150 TO 159 CM	706ARB
FROM 160 TO 169 CM	707ARB
FROM 170 TO 179 CM	708ARB
FROM 180 TO 189 CM	709ARB
FROM 190 TO 199 CM	710ARB
FROM 200 TO 209 CM	711ARB
FROM 210 TO 220 CM	712ARB

ON-WALL SIDE PANEL

PRICE STEP	ART.
UP TO 69 CM	601MUR
FROM 70 TO 79 CM	602MUR
FROM 80 TO 89 CM	603MUR
FROM 90 TO 99 CM	604MUR
FROM 100 TO 109 CM	605MUR
FROM 110 TO 119 CM	606MUR
FROM 120 TO 129 CM	607MUR
FROM 130 TO 139 CM	608MUR
·	· · · · · · · · · · · · · · · · · · ·

Made-to-measure height on wall side panel without extra charge.







LEFT MODEL WITH HANDLE ON THE LEFT ON-WALL CORNER SIDE PANEL ON THE LEFT



RIGHT MODEL WITH HANDLE ON THE RIGHT ON-WALL LINEAR SIDE PANEL



LEFT MODEL WITH HANDLE ON THE LEFT ON-WALL LINEAR SIDE PANEL ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the width of the niche and the length of the low partition wall > cover flap
- > the position (right or left) of the handle and of the on-wall side panel (RIGHT o LEFT)
- > the height of the on-wall side panel from the shower tray
- the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 0,8 cm from the size indicated on confirmation of the order

Entrance span:

Screen from 98 to 107 cm	40 cm
Screen from 108 to 117 cm	45 cm
Screen from 118 to 137 cm	50 cm
Screen from 138 to 157 cm	57 cm
Screen from 158	67 cm













- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Sliding doors opening.
- > Made-to-measure widths.
- > No plastic gaskets.

Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm – PAG. 163
- > "Soft Close" assisted closing PAG. 171
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

SYMMETRICAL	H 200 CM
PRICE STEP	ART.
FROM 155 TO 159 CM	782ARB
FROM 160 TO 169 CM	783ARB
FROM 170 TO 179 CM	784ARB
FROM 180 TO 189 CM	785ARB
FROM 190 TO 199 CM	786ARB
FROM 200 TO 209 CM	787ARB
FROM 210 TO 219 CM	788ARB
FROM 220 TO 229 CM	789ARB
FROM 230 TO 239 CM	790ARB
FROM 240 TO 250 CM	791ARB


"MOVE" ELECTRONIC OPENING SYSTEM NOT AVAILABLE FOR THE CENTRAL DOOR VERSION.

SYMMETRICAL CENTRAL DOOR VERSION AVAILABLE ONLY FOR RECESS INSTALLATION.



PLEASE PROVIDE A MIN. OF 20 CM ABOVE THE CABIN SHOWER TO ALLOW INSTALLATION.







LEFT MODEL WITH HANDLE ON THE LEFT

Entrance span:

Screen from **155** to **167 cm** > 47 cm Screen from **168** to **197 cm** > 50 cm Screen from **198** to **250 cm** > 57 cm

Fixed sides with same dimensions

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the recess size of the niche at the three heights > cover flap
- > the position (right or left) of the handle
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 1,5 cm from the size indicated on confirmation of the order

SHOWER SCREEN WITH SLIDING DOOR. SOLUTION FOR NICHE, RIGHT MODEL (HANDLE ON THE RIGHT) SHOWN.

TOTAL OR PARTIAL MATT GLASS > PAG. 159

MEASURE HEIGHTS

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES

www.calibe.co.uk/525

> PAG. 162

> PAG. 170





COLOURED AND MIRRORED GLASS > PAG. 156

20

ARBATAX













- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.

ARBATAX

- > Standard height 200 cm.
- > Sliding doors opening.
- > Made-to-measure widths.
- > No plastic gaskets.

Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm – PAG. 163
- > "Soft Close" assisted closing PAG. 171
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170


ASYMMETRICAL	H 200 CM
PRICE STEP	ART.
FROM 128 TO 139 CM	770ARB
FROM 140 TO 149 CM	771ARB
FROM 150 TO 159 CM	772ARB
FROM 160 TO 169 CM	773ARB
FROM 170 TO 179 CM	774ARB
FROM 180 TO 189 CM	775ARB
FROM 190 TO 199 CM	776ARB
FROM 200 TO 209 CM	777ARB
FROM 210 TO 220 CM	778ARB

"MOVE" ELECTRONIC OPENING SYSTEM NOT AVAILABLE FOR THE CENTRAL DOOR VERSION.

ASYMMETRICAL CENTRAL DOOR VERSION AVAILABLE ONLY FOR RECESS INSTALLATION.



PLEASE PROVIDE A MIN. OF 20 CM ABOVE THE CABIN SHOWER TO ALLOW INSTALLATION.



RIGHT MODEL WITH HANDLE ON THE RIGHT

LEFT MODEL WITH HANDLE ON THE LEFT

Entrance span:	Fixed on the handle side	Fixed on opposite side
Screen from 128 to 137 cm > 47 cm	25-34 cm	58 cm
Screen from 138 to 157 cm > 50 cm	25-44 cm	63 cm
Screen from 158 to 197 cm > 57 cm	25-67 cm	76 cm
Screen from 198 to 220 cm > 67 cm	45-67 cm	86 cm

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the recess size of the niche at the three heights > cover flap
- > the position (right or left) of the handle
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 1,5 cm from the size indicated on confirmation of the order



SHOWER SCREEN WITH SLIDING DOOR. SOLUTION FOR NICHE, RIGHT MODEL (HANDLE ON THE RIGHT) SHOWN.

MATT GLASS

> PAG. 159

TOTAL OR PARTIAL COLOURED AND SHAPES AND MADE TO SPECIAL PROFILES

MEASURE HEIGHTS > PAG. 164 ACCESSORIES > PAG. 170

www.calibe.co.uk/526

> PAG. 162

ARBATAX













- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Sliding doors opening.
- > Made-to-measure widths.
- > No plastic gaskets.


Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

SCREEN	H 200 CM
PRICE STEP	ART.
FROM 101 TO 109 CM	701ARB
FROM 110 TO 119 CM	702ARB
FROM 120 TO 129 CM	703ARB
FROM 130 TO 139 CM	704ARB
FROM 140 TO 149 CM	705ARB
FROM 150 TO 159 CM	706ARB
FROM 160 TO 169 CM	707ARB
FROM 170 TO 179 CM	708ARB
FROM 180 TO 189 CM	709ARB
FROM 190 TO 199 CM	710ARB
FROM 200 TO 209 CM	711ARB
FROM 210 TO 220 CM	712ARB



PLEASE PROVIDE A MIN. OF 40 CM ABOVE THE CABIN SHOWER TO ALLOW INSTALLATION.



RIGHT MODEL WITHOUT HANDLE WITH RIGHT OPENING LEFT MODEL WITHOUT HANDLE WITH LEFT OPENING

ELECTRONIC OPENING Extra Charge

	ART.
WITHOUT HANDLE	500MOV
WITH HANDLE	501MOV

Motor and electronics:

All components are installed inside the cabin frames and therefore completely invisible.

System Preparation:

It is necessary to provide only a 12V power supply in the position shown in the picture, in the wall opposite the opening button.

Safety:

The door is always free, so it can always be opened without effort in case of any failure or power failure, also on the version without a handle. The elctronic board is equipped with an anti-crushing function which stop the door in case of door obstruction.

WITH HANDLE Entrance span:

Screen from 101 to 105 cm	40 cm
Screen from 106 to 115 cm	45 cm
Screen from 116 to 127 cm	50 cm
Screen from 128 to 147 cm	57 cm
Screen from 148 to 160 cm	64 cm
Screen from 161	67 cm

WITHOUT HANDLE Entrance span:


Screen from 101 to 110 cm	40 cm
Screen from 111 to 120 cm	45 cm
Screen from 121 to 140 cm	50 cm
Screen from 141 to 160 cm	57 cm
Screen from 161	67 cm

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the recess size of the niche at the three heights > cover flap
- > the position (right or left) of the handle (o del pulsante)
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 1,5 cm from the size indicated on confirmation of the order



SHOWER SCREEN WITH SLIDING DOOR. SOLUTION FOR NICHE, RIGHT MODEL (BUTTON ON THE RIGHT) SHOWN.

COLOURED AND TOTAL OR PARTIAL MIRRORED GLASS MATT GLASS > PAG. 156

> PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES

ACCESSORIES > PAG. 170

www.calibe.co.uk/527
















- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Sliding doors opening.
- > Made-to-measure widths.
- > No plastic gaskets.


- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170


SCREEN	H 200 CM
PRICE STEP	ART.
FROM 101 TO 109 CM	701ARB
FROM 110 TO 119 CM	702ARB
FROM 120 TO 129 CM	703ARB
FROM 130 TO 139 CM	704ARB
FROM 140 TO 149 CM	705ARB
FROM 150 TO 159 CM	706ARB
FROM 160 TO 169 CM	707ARB
FROM 170 TO 179 CM	708ARB
FROM 180 TO 189 CM	709ARB
FROM 190 TO 199 CM	710ARB
FROM 200 TO 209 CM	711ARB
FROM 210 TO 220 CM	712ARB



PLEASE PROVIDE A MIN. OF 40 CM ABOVE THE CABIN SHOWER TO ALLOW INSTALLATION.







LEFT MODEL WITHOUT HANDLE WITH LEFT OPENING FIXED SIDE IN LEFT CORNER

FIX	ED SIDE	H 200 CM
PRIC	E STEP	ART.
UP To	○ 69 CM	701FIS
FROM	M 70 TO 79 CM	702FIS
FROM	M 80 TO 89 CM	703FIS
FROM	M 90 TO 99 CM	704FIS
FROM	M 100 TO 109 CM	705FIS
FROM	M 110 TO 119 CM	706FIS
FROM	M 120 TO 129 CM	707FIS
FROM	M 130 TO 139 CM	708FIS

ELECTRONIC OPENING Extra Charge

	Anı.
WITHOUT HANDLE	500MOV
WITH HANDLE	501MOV

Motor and electronics:

All components are installed inside the cabin frames and therefore completely invisible.

System Preparation:-

It is necessary to provide only a 12V power supply in the position shown in the picture, in the wall opposite the opening button.

The door is always free, so it can always be opened without effort in case of any failure or power failure, also on the version without a handle. The elctronic board is equipped with an anti-crushing function which stop the door in case of door obstruction.

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the position (right or left) of the handle (o del pulsante)
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 1 cm from the size indicated on confirmation of the order

Entrance span:	HANDLE
Screen from 101 to 105 cm	40 cm
Screen from 106 to 115 cm	45 cm
Screen from 116 to 127 cm	50 cm
Screen from 128 to 147 cm	57 cm
Screen from 148 to 160 cm	64 cm
Screen from 161	67 cm

WITHOUT

SHOWER SCREEN WITH SLIDING DOOR ELETTRONICA. CORNER SOLUTION, RIGHT MODEL, (BUTTON ON THE RIGHT) - FIXED RIGHT SIDE.

COLOURED AND TOTAL OR PARTIAL MIRRORED GLASS MATT GLASS > PAG. 156 > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES

ACCESSORIES > PAG. 170

www.calibe.co.uk/528

Light and functional design for this shower enclosure with sliding doors. Distinstive feature: the glass panels can be lifted to thoroughly clean the edge of the shower tray thus achieving a higher standard of hygiene. The small magnets positioned flush with the glass panel base, and therefore invisible, endow the enclosure with perfect watertightness.

SHOWER ENCLOSURE WITH TWO SLIDING DOOR









Made of polished or brushed finishing **Stainless Steel**

8 mm clear tempered glass Standard height 200 cm Made-to-measure widths



OPTIONAL EXTRAS:

Extra-clear, coloured, matt and reflective glass is available > PAG. 154 Custom made heights are available > PAG. 163



Quick release doors for easy cleaning.











SHOWER ENCLOSURE WITH TWO SLIDING DOOR.

www.calibe.co.uk/531

COLOURED AND MIRRORED GLASS > PAG. 156

TOTAL OR PARTIAL MATT GLASS > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170











Standard features without extra charge


- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Two sliding doors opening.
- > Made-to-measure widths.


Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm – PAG. 163
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

EACH SIDE	H 200 CM
PRICE STEP	ART.
FROM 67 TO 69 CM	750CHA
FROM 70 TO 79 CM	751CHA
FROM 80 TO 89 CM	752CHA
FROM 90 TO 99 CM	753CHA
FROM 100 TO 109 CM	754CHA
FROM 110 TO 120 CM	755CHA

IF THE TWO SIDES OF THE SHOWER ENCLOSURE HAVE DIFFERENT DIMENSIONS, THE LAYOUT MUST BE INDICATED WITH A DRAWING.





LEFT DOOR WITH HANDLE

RIGHT DOOR WITH HANDLE ON THE RIGHT ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the dimensions and the positioning of the two sides if different from each other
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 0,8 cm from the size indicated on confirmation of the order

With Janas, Calibe interprets the pivot hinges opening. Janas, completely realized in Stainless Steel and tempered glass, is customizable according to the width of the niche. It grants the possibility to position of the pivot allowing module the inner section of the door. The handle, once the door is closed, is integrated on the vertical frame granting an absolute minimalism of the whole structure.

SHOWER ENCLOSURE WITH PIVOT OPENING DOOR











Made of polished or brushed finishing Stainless Steel

8 mm clear tempered glass Standard height 200 cm Made-to-measure widths




OPTIONAL EXTRAS:

Extra-clear, coloured, matt and reflective glass is available > PAG. 154 Custom made heights are available > PAG. 163



HINGE ROTATION PIVOT WITH VARIABLE POSITIONING

It is possible, with no additional costs, to position the hinge rotation pivot at 20, 30, 40 and 50 cm from the wall. It is therefore possible to decide the distance between the glass and the wall, once the doors is open.







OPENING WITH HINGED DOOR. SOLUTION FOR NICHE, LEFT MODEL (HANDLE ON THE LEFT) SHOWN.

www.calibe.co.uk/541

COLOURED AND MIRRORED GLASS > PAG. 156

TOTAL OR PARTIAL MATT GLASS > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170













Standard features without extra charge

- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Pivot hinge can be positioned at 20/30/40/50 cm from the wall.
- > Outward pivot opening with hinged door.
- > Made-to-measure widths.

Optional with extra charge

- > Made-to-measure height from 190 to 210 cm PAG. 163
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170









ATTENTION: THE FRAME ON THE HINGE SIDE IS 1 CM HIGHER THAN THE NOMINAL MEASURE.

THE WIDTH OF THE EXTERNAL PART OF THE DOOR MUST NOT EXCEED 80 CM.





RIGHT MODEL WITH HANDLE ON THE RIGHT

LEFT MODEL WITH HANDLE ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the recess size of the niche at the three heights > cover flap
- > the position (right or left) of the handle
- > the distance of the pivot hinge from the wall (20/30/40/50 cm)
- the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 1 cm from the size indicated on confirmation of the order



OPENING WITH HINGED DOOR. CORNER SOLUTION, LEFT MODEL (HANDLE ON THE LEFT) - FIXED LEFT SIDE SHOWN.

www.calibe.co.uk/542

COLOURED AND TOTAL OR PARTIAL MIRRORED GLASS MATT GLASS > PAG. 156 > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170

JANAS DOOR + FIXED SIDE







Standard features without extra charge


- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Pivot hinge can be positioned at 20/30/40/50 cm from the wall.
- > Outward pivot opening with hinged door.
- > Supplied with a **stabilising tie-rod** included in the price.
- > Made-to-measure widths.


Optional with extra charge

- > Made-to-measure height from 190 to 210 cm PAG. 163
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170


DOOR	H 200 CM
PRICE STEP	TORT.
UP TO 69 CM	800JNA
FROM 70 TO 79 CM	801JNA
FROM 80 TO 89 CM	802JNA
FROM 90 TO 99 CM	803JNA
FROM 100 TO 109 CM	804JNA
FROM 110 TO 120 CM	805JNA

FIXED SIDE	H 200 CM
PRICE STEP	ART.
UP TO 69 CM	490FIS
FROM 70 TO 79 CM	491FIS
FROM 80 TO 89 CM	492FIS
FROM 90 TO 99 CM	493FIS
FROM 100 TO 109 CM	494FIS
FROM 110 TO 119 CM	495FIS
FROM 120 TO 129 CM	496FIS
FROM 130 TO 139 CM	497FIS






LEFT MODEL WITH HANDLE ON THE LEFT FIXED SIDE ON THE LEFT



ATTENTION: THE FRAME ON THE HINGE SIDE IS 1 CM HIGHER THAN THE NOMINAL MEASURE.

THE WIDTH OF THE EXTERNAL PART OF THE DOOR MUST NOT EXCEED 80 CM.



NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the position (right or left) of the handle
- > the position (right or left) of the fixed side
- > the distance of the pivot hinge from the wall (20/30/40/50 cm)
- > the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 0,7 cm from the size indicated on confirmation of the order

The innovative double pin hinge enables to choose outward or inward opening.

A perfect model for combinations with floor-level shower tray, in which it provides maximum entrance span.

SHOWER ENCLOSURE WITH FOLDING OPENING
















8 mm clear tempered glass Standard height 200 cm Made-to-measure widths

Shower enclosure without dam profile




OPTIONAL EXTRAS:

Extra-clear, coloured, matt and reflective glass is available > PAG. 154

Custom made heights are available > PAG. 163





FOLDING OPENING MECHANISM















SHOWER ENCLOSURE WITH FOLDING OPENING. SOLUTION FOR NICHE, RIGHT MODEL (HANDLE ON THE RIGHT) SHOWN.

www.calibe.co.uk/551

COLOURED AND TOTAL OR PARTIAL MIRRORED GLASS MATT GLASS > PAG. 156 > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES

ACCESSORIES > PAG. 170













Standard features without extra charge


- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Opening with folding door.
- > Made-to-measure widths.
- > Shower enclosure without dam profile.


Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

H 200 CM DOOR PRICE STEP ART. UP TO 69 CM 849THS FROM 70 TO 79 CM 850THS FROM **80** TO **89 CM** 851THS FROM 90 TO 99 CM 852THS FROM **100** TO **109 CM** 853THS FROM **110** TO **119** CM 854THS FROM 120 TO 130 CM 855THS

THE PRICE IS FOR THE TOTALE WIDTH OF THE DOOR, ANYWAY IT'S POSSIBLE TO CUSTOMIZE THE WIDTH WITHOUT EXTRA CHARGE.










LEFT MODEL WITH HANDLE ON THE LEFT




UNLESS OTHERWISE SPECIFIED: THE OPENING PROVIDED WILL BE "INWARD-OUTWARD". DOOR DIVISION: 45% THE INTERNAL GLASS DOOR AND 55% THE EXTERNAL GLASS DOOR.

STANDARD OPENING INWARD-OUTWARD







NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the recess size of the niche at the three heights > cover flap
- > the position (right or left) of the handle
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 1 cm from the size indicated on confirmation of the order



SHOWER ENCLOSURE WITH FOLDING OPENING. CORNER SOLUTION, RIGHT MODEL (HANDLE ON THE RIGHT) - FIXED RIGHT SIDE SHOWN.

www.calibe.co.uk/552

COLOURED AND MIRRORED GLASS > PAG. 156

TOTAL OR PARTIAL MATT GLASS > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170

CORNER FIXED SIDE

Standard features without extra charge


- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Opening with folding door.
- > Supplied with a **stabilising tie-rod** included in the price.
- > Made-to-measure widths.
- > Shower enclosure without dam profile.


Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

DOOR	H 200 CM
PRICE STEP	ART.
UP TO 69 CM	849THS
FROM 70 TO 79 CM	850THS
FROM 80 TO 89 CM	851THS
FROM 90 TO 99 CM	852THS
FROM 100 TO 109 CM	853THS
FROM 110 TO 119 CM	854THS
FROM 120 TO 130 CM	855THS

FIXED SIDE	H 200 CM
PRICE STEP	ART.
UP TO 69 CM	440FIS
FROM 70 TO 79 CM	441FIS
FROM 80 TO 89 CM	442FIS
FROM 90 TO 99 CM	443FIS
FROM 100 TO 109 CM	444FIS
FROM 110 TO 119 CM	445FIS
FROM 120 TO 129 CM	446FIS
FROM 130 TO 139 CM	447FIS









LEFT MODEL WITH HANDLE ON THE LEFT FIXED SIDE ON THE LEFT



UNLESS OTHERWISE SPECIFIED: THE OPENING PROVIDED WILL BE "INWARD-OUTWARD". DOOR DIVISION: 45% THE INTERNAL GLASS DOOR AND 55% THE EXTERNAL GLASS DOOR.

STANDARD OPENING INWARD-OUTWARD





NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the position (right or left) of the handle
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 0,5 cm from the size indicated on confirmation of the order





SHOWER ENCLOSURE WITH FOLDING OPENING. SOLUTION FOR NICHE, RIGHT MODEL (HANDLE ON THE RIGHT) SHOWN. - FIXED SIDE ON THE RIGHT.

www.calibe.co.uk/553

COLOURED AND MIRRORED GLASS > PAG. 156

THIESI

TOTAL OR PARTIAL MATT GLASS > PAG. 159

MEASURE HEIGHTS > PAG. 162


SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170

Standard features without extra charge

- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Opening with folding door.
- > Supplied with a **stabilising tie-rod** included in the price.
- > Made-to-measure widths.
- > Shower enclosure without dam profile.





- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

Optional with extra charge

DOOR	H 200 CM
PRICE STEP	ART.
UP TO 69 CM	849THS
FROM 70 TO 79 CM	850THS
FROM 80 TO 89 CM	851THS
FROM 90 TO 99 CM	852THS
FROM 100 TO 109 CM	853THS
FROM 110 TO 119 CM	854THS
FROM 120 TO 130 CM	855THS

H 200 CM
ART.
440FIS
441FIS
442FIS
443FIS
444FIS
445FIS
446FIS
447FIS









LEFT MODEL WITH HANDLE ON THE LEFT



UNLESS OTHERWISE SPECIFIED: THE OPENING PROVIDED WILL BE "INWARD-OUTWARD". DOOR DIVISION: 45% THE INTERNAL GLASS DOOR AND 55% THE EXTERNAL GLASS DOOR.

STANDARD OPENING INWARD-OUTWARD





OPENING ON REQUEST OUTWARD-INWARD

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the recess size of the niche at the three heights > cover flap
- > the position (right or left) of the handle
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 1 cm from the size indicated on confirmation of the order



SHOWER ENCLOSURE WITH FOLDING OPENING. CORNER SOLUTION, RIGHT MODEL (HANDLE ON THE RIGHT) - ON-WALL SIDE PANEL IN THE RIGHT CORNER.



SHOWER ENCLOSURE WITH FOLDING OPENING. SOLUTION FOR NICHE, RIGHT MODEL (HANDLE ON THE RIGHT) - ON-WALL LINEAR SIDE PANEL ON THE RIGHT.

www.calibe.co.uk/554

COLOURED AND MIRRORED GLASS > PAG. 156

TOTAL OR PARTIAL MATT GLASS > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170

DN-WALL SIDE PANEL









Standard features without extra charge

- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Opening with folding door.
- > Supplied with a **stabilising tie-rod** included in the price.
- > Made-to-measure widths.
- > Shower enclosure without dam profile.

Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

DOOR	H 200 CM
PRICE STEP	ART.
UP TO 69 CM	849THS
FROM 70 TO 79 CM	850THS
FROM 80 TO 89 CM	851THS
FROM 90 TO 99 CM	852THS
FROM 100 TO 109 CM	853THS
FROM 110 TO 119 CM	854THS
FROM 120 TO 130 CM	855THS


ON-WALL SIDE PANEL

PRICE STEP	ART.
UP TO 69 CM	601MUR
FROM 70 TO 79 CM	602MUR
FROM 80 TO 89 CM	603MUR
FROM 90 TO 99 CM	604MUR
FROM 100 TO 109 CM	605MUR
FROM 110 TO 119 CM	606MUR
FROM 120 TO 129 CM	607MUR
FROM 130 TO 139 CM	608MUR

Made-to-measure height on wall side panel without extra charge.



RIGHT MODEL WITH HANDLE ON THE RIGHT ON-WALL CORNER SIDE PANEL ON THE RIGHT



LEFT MODEL WITH HANDLE ON THE LEFT ON-WALL CORNER SIDE PANEL ON THE LEFT



RIGHT MODEL WITH HANDLE ON THE RIGHT ON-WALL LINEAR SIDE PANEL



LEFT MODEL WITH HANDLE ON THE LEFT ON-WALL LINEAR SIDE PANEL ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the width of the niche and the length of the low partition wall > cover flap
- > the position (right or left) of the handle and of the on-wall side panel (RIGHT o LEFT)
- > the height of the on-wall side panel from the shower tray
- > the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 1 cm from the size indicated on confirmation of the order



















- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Opening with folding door.
- > Made-to-measure widths.
- > Shower enclosure without dam profile.

- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

EACH SIDE	H 200 CM
PRICE STEP	ART.
UP TO 69 CM	859THS
FROM 70 TO 79 CM	860THS
FROM 80 TO 89 CM	861THS
FROM 90 TO 99 CM	862THS
FROM 100 TO 109 CM	863THS
FROM 110 TO 119 CM	864THS
FROM 120 TO 130 CM	865THS








LEFT DOOR WITH HANDLE ON THE RIGHT


RIGHT DOOR WITH HANDLE ON THE LEFT



UNLESS OTHERWISE SPECIFIED: THE OPENING PROVIDED WILL BE "INWARD-OUTWARD". DOOR DIVISION: 45% THE INTERNAL GLASS DOOR AND 55% THE EXTERNAL GLASS DOOR.

STANDARD OPENING INWARD-OUTWARD





OPENING ON REQUEST



To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the dimensions and the positioning of the two sides if different from each other
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 0,5 cm from the size indicated on confirmation of the order

SHOWER ENCLOSURE WITH FOLDING OPENING. CORNER SOLUTION.

COLOURED AND MIRRORED GLASS > PAG. 156

TOTAL OR PARTIAL MATT GLASS > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES

ACCESSORIES > PAG. 170

www.calibe.co.uk/555

The precious crystal surfaces are punctuated by essential steel profiles. An almost evanescent volume, for a refined and discrete style. Every detail is light, minimal, graphic. The handle and hinges are also characterized by vertical design and come to form an almost single body together with the masts.

Tirso is a versatile collection, open to niche and corner compositions. All models have one single hinged door. The standard 210 cm height ensures breathing space for every configuration.

SHOWER ENCLOSURE WITH OUTWARD OPENING











Made of polished or brushed finishing **Stainless Steel** 8 mm extra-clear tempered glass Standard height 210 cm Made-to-measure widths

No plastic gaskets







OPTIONAL EXTRAS:

Coloured, matt and reflective glass is available > PAG. 154 Custom made heights are available > PAG. 163



NO PLASTIC GASKETS
























- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm extra-clear tempered glass.
- > Standard height 210 cm.
- > Upon request 200 cm height without extra charge.
- > Outward opening with hinged door.
- > Made-to-measure widths.
- > No plastic gaskets.

Optional with extra charge

- > Customised height from 190 cm to 210 cm, except height 200cm — PAG. 163
- Coloured or reflective glass PAG. 156
 Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

DOOR	H 210 CM
PRICE STEP	ART.
UP TO 69 CM	800TRS
FROM 70 TO 79 CM	801TRS
FROM 80 TO 89 CM	802TRS
FROM 90 TO 99 CM	803TRS







LEFT MODEL WITH HANDLE ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

Extensibility ± 1 cm from the size indicated on confirmation of the order

To complete the order please specify:

- > the recess size of the niche at the three heights > cover flap
- > the position (right or left) of the handle
- > the Stainless Steel finishing (polished or brushed)
- the glass (coloured, matt, reflective) > PAG. 154

www.calibe.co.uk/556

TOTAL OR PARTIAL

MATT GLASS

> PAG. 159

SOLUTION FOR NICHE, LEFT MODEL (HANDLE ON THE LEFT) SHOWN.

SHOWER ENCLOSURE WITH OUTWARD OPENING.

MEASURE HEIGHTS > PAG. 162

ACCESSORIES

HANDLES > PAG. 168

COLOURED AND MIRRORED GLASS > PAG. 156

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

> PAG. 170














- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm extra-clear tempered glass.
- > Standard height 210 cm.
- > Upon request 200 cm height without extra charge.
- > Outward opening with hinged door.
- > Made-to-measure widths.
- > No plastic gaskets.


- > Customised height from 190 cm to 210 cm, except height 200cm - PAG. 163
- > Coloured or reflective glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

DOOR	H 210 CM
PRICE STEP	ART.
UP TO 69 CM	800TRS
FROM 70 TO 79 CM	801TRS
FROM 80 TO 89 CM	802TRS
FROM 90 TO 99 CM	803TRS


FIXED SIDE	H 210 CM
PRICE STEP	ART.
UP TO 69 CM	471FIS
FROM 70 TO 79 CM	472FIS
FROM 80 TO 89 CM	473FIS
FROM 90 TO 99 CM	474FIS
FROM 100 TO 109 CM	475FIS
FROM 110 TO 119 CM	476FIS
FROM 120 TO 129 CM	477FIS
FROM 130 TO 139 CM	478FIS



RIGHT MODEL WITH HANDLE ON THE RIGHT FIXED SIDE ON THE RIGHT



LEFT MODEL WITH HANDLE ON THE LEFT FIXED SIDE ON THE LEFT



RIGHT MODEL WITH HANDLE ON THE RIGHT FIXED SIDE ON THE LEFT



LEFT MODEL WITH HANDLE ON THE LEFT FIXED SIDE ON THE RIGHT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the position (right or left) of the handle
- > the position (right or left) of the fixed side
- the Stainless Steel finishing (polished or brushed)

> the glass (coloured, matt, reflective) > PAG. 154

COLOURED AND MIRRORED GLASS > PAG. 156

TOTAL OR PARTIAL MATT GLASS > PAG. 159

SHOWER ENCLOSURE WITH OUTWARD OPENING.

MEASURE HEIGHTS > PAG. 162

CORNER SOLUTION, LEFT MODEL (HANDLE ON THE LEFT) - FIXED LEFT SIDE SHOWN.

SHAPES AND MADE TO SPECIAL PROFILES

ACCESSORIES

> PAG. 170

HANDLES > PAG. 168

www.calibe.co.uk/557

Extensibility ± 0,5 cm from the size indicated on confirmation of the order















- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm extra-clear tempered glass.
- > Standard height 210 cm.
- > Upon request 200 cm height without extra charge.
- > Supplied with a **stabilising tie-rod** included in the price.
- > Outward opening with hinged door.
- > Made-to-measure widths.
- > No plastic gaskets.


SCREEN	H 210 CM
PRICE STEP	ART.
FROM 90 TO 99 CM	297TRS
FROM 100 TO 109 CM	298TRS
FROM 110 TO 119 CM	299TRS
FROM 120 TO 129 CM	300TRS
FROM 130 TO 139 CM	301TRS
FROM 140 TO 149 CM	302TRS
FROM 150 TO 159 CM	303TRS
FROM 160 TO 169 CM	304TRS
FROM 170 TO 179 CM	305TRS
FROM 180 TO 189 CM	306TRS
FROM 190 TO 199 CM	307TRS

- > Customised height from 190 cm to 210 cm, except height 200cm — PAG. 163
- > Coloured or reflective glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

THE PRICES ARE FOR THE SHOWER ENCLOSURE INCLUDING FIXED SIDES AND DOORS. IT IS POSSIBLE TO REQUEST CUSTOMISED SIZES FOR FIXED AND DOOR, WITHOUT EXTRA CHARGE.











LEFT MODEL WITH HANDLE ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the recess size of the niche at the three heights > cover flap
- > the position (right or left) of the handle
- > the width of the door and the fixed side if different
- the Stainless Steel finishing (polished or brushed)
- > the glass (coloured, matt, reflective) > PAG. 154

Extensibility ± 1 cm from the size indicated on confirmation of the order



SHOWER ENCLOSURE WITH OUTWARD OPENING. SOLUTION FOR NICHE, LEFT MODEL (HANDLE ON THE LEFT) SHOWN.

TOTAL OR PARTIAL

MATT GLASS

> PAG. 159

MEASURE HEIGHTS

SHAPES AND MADE TO SPECIAL PROFILES

ACCESSORIES > PAG. 170

HANDLES > PAG. 168

www.calibe.co.uk/558

TIRSO



















- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm extra-clear tempered glass.
- > Standard height 210 cm.
- > Upon request 200 cm height without extra charge.
- > Outward opening with hinged door.
- > Supplied with a **stabilising tie-rod** included in the price.
- > Made-to-measure widths.
- > No plastic gaskets.

- > Customised height from 190 cm to 210 cm, except height 200cm – PAG. 163
- > Coloured or reflective glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

SCREEN	H 210 CM
PRICE STEP	ART.
FROM 90 TO 99 CM	297TRS
FROM 100 TO 109 CM	298TRS
FROM 110 TO 119 CM	299TRS
FROM 120 TO 129 CM	300TRS
FROM 130 TO 139 CM	301TRS
FROM 140 TO 149 CM	302TRS
FROM 150 TO 159 CM	303TRS
FROM 160 TO 169 CM	304TRS
FROM 170 TO 179 CM	305TRS
FROM 180 TO 189 CM	306TRS
FROM 190 TO 199 CM	307TRS









LEFT MODEL WITH HANDLE ON THE LEFT FIXED SIDE ON THE LEFT



RIGHT MODEL WITH HANDLE ON THE RIGHT FIXED SIDE ON THE LEFT



LEFT MODEL WITH HANDLE ON THE LEFT FIXED SIDE ON THE RIGHT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the position (right or left) of the handle
- the position (right or left) of the fixed side
- the width of the door and the fixed side if different
- > the Stainless Steel finishing (polished or brushed)
- > the glass (coloured, matt, reflective) > PAG. 154

SHOWER ENCLOSURE WITH OUTWARD OPENING. CORNER SOLUTION, RIGHT MODEL (HANDLE ON THE RIGHT) - FIXED LEFT SIDE SHOWN.

COLOURED AND MIRRORED GLASS > PAG. 156

TOTAL OR PARTIAL MATT GLASS > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES

ACCESSORIES > PAG. 170

HANDLES > PAG. 168 Door with the hinges on the wall frame for a shower enclosure to suit any layout, and blend in wiht corner, recess, or low wall solutions. Fine lines for the steel uprights, stylishly contrasting markedly material rectangular hinges.

NO PLASTIC GASKETS

The full height glass solutions create essential and enveloping volumes.


SHOWER ENCLOSURE WITH OUTWARD OPENING












8 mm clear tempered glass Standard height 200 cm Made-to-measure widths No plastic gaskets





OPTIONAL EXTRAS:

Extra-clear, coloured, matt and reflective glass is available > PAG. 154 Custom made heights from 180 to 230 cm are available > PAG. 163









SHOWER ENCLOSURE WITH OUTWARD OPENING. SOLUTION FOR NICHE, RIGHT MODEL (HANDLE ON THE RIGHT) SHOWN.

www.calibe.co.uk/571

COLOURED AND MIRRORED GLASS > PAG. 156

TOTAL OR PARTIAL MATT GLASS > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170













Standard features without extra charge

- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Outward opening with hinged door.
- > Made-to-measure widths.
- > No plastic gaskets.

Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170





RIGHT MODEL WITH HANDLE ON THE RIGHT

LEFT MODEL WITH HANDLE ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the recess size of the niche at the three heights > cover flap
- > the position (right or left) of the handle
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 1,5 cm from the size indicated on confirmation of the order

















- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Outward opening with hinged door.
- > Made-to-measure widths.
- > No plastic gaskets.


- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

DOOR	H 200 CM
PRICE STEP	ART.
FROM 50 TO 59 CM	799BIT
FROM 60 TO 69 CM	800BIT
FROM 70 TO 79 CM	801BIT
FROM 80 TO 89 CM	802BIT
FROM 90 TO 99 CM	803BIT

FIXED SIDE	H 200 CM
PRICE STEP	ART.
UP TO 59 CM	400FIS
FROM 60 TO 69 CM	401FIS
FROM 70 TO 79 CM	402FIS
FROM 80 TO 89 CM	403FIS
FROM 90 TO 99 CM	404FIS
FROM 100 TO 109 CM	405FIS
FROM 110 TO 119 CM	406FIS
FROM 120 TO 129 CM	407FIS
FROM 130 TO 139 CM	408FIS








LEFT MODEL WITH HANDLE ON THE LEFT FIXED SIDE ON THE RIGHT



RIGHT MODEL WITH HANDLE ON THE RIGHT FIXED SIDE ON THE LEFT



LEFT MODEL WITH HANDLE ON THE LEFT FIXED SIDE ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the position (right or left) of the handle
- > the position (right or left) of the fixed side
- > the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 1 cm from the size indicated on confirmation of the order

COLOURED AND MIRRORED GLASS > PAG. 156

64

BITHIA

TOTAL OR PARTIAL MATT GLASS > PAG. 159

CORNER SOLUTION, RIGHT MODEL (HANDLE ON THE RIGHT) - FIXED RIGHT SIDE SHOWN.


SHOWER ENCLOSURE WITH OUTWARD OPENING.

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170

www.calibe.co.uk/572



SHOWER ENCLOSURE WITH OUTWARD OPENING. THREE-SIDE SOLUTION WITH CENTRAL DOOR, RIGHT MODEL (HANDLE ON THE RIGHT).

www.calibe.co.uk/573

COLOURED AND TOTAL OR PARTIAL MIRRORED GLASS MATT GLASS > PAG. 156 > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170

BITHIA DOOR + 2 FIXED SIDES









Standard features without extra charge


- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Outward opening with hinged door.
- > Supplied with a **stabilising tie-rod** included in the price.
- > Made-to-measure widths.
- > No plastic gaskets.

Optional with extra charge


- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

DOOR	H 200 CM
PRICE STEP	ART.
FROM 50 TO 59 CM	799BIT
FROM 60 TO 69 CM	800BIT
FROM 70 TO 79 CM	801BIT
FROM 80 TO 89 CM	802BIT
FROM 90 TO 99 CM	803BIT


EACH FIXED SIDE	H 200 CM
PRICE STEP	ART.
UP TO 59 CM	400FIS
FROM 60 TO 69 CM	401FIS
FROM 70 TO 79 CM	402FIS
FROM 80 TO 89 CM	403FIS
FROM 90 TO 99 CM	404FIS
FROM 100 TO 109 CM	405FIS
FROM 110 TO 119 CM	406FIS
FROM 120 TO 129 CM	407FIS
FROM 130 TO 139 CM	408FIS








LEFT MODEL WITH HANDLE ON THE LEFT CENTRAL DOOR



RIGHT MODEL WITH HANDLE ON THE RIGHT FIXED RIGHT CORNER SIDES



LEFT MODEL WITH HANDLE ON THE LEFT FIXED LEFT CORNER SIDES

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the position (right or left) of the handle
- > the position (RIGHT o LEFT) of fixed sides if angled
- the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Fixed sides extensibility \pm 1 cm from the size indicated on confirmation of the order



SHOWER ENCLOSURE WITH OUTWARD OPENING. CORNER SOLUTION, RIGHT MODEL (HANDLE ON THE RIGHT) - ON-WALL SIDE PANEL IN THE RIGHT CORNER.



SHOWER ENCLOSURE WITH OUTWARD OPENING. SOLUTION FOR NICHE, RIGHT MODEL (HANDLE ON THE RIGHT) - ON-WALL LINEAR SIDE PANEL ON THE RIGHT.

www.calibe.co.uk/574

COLOURED AND MIRRORED GLASS > PAG. 156

89

BITHIA

TOTAL OR PARTIAL MATT GLASS > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170

ON-WALL SIDE PANEL









Standard features without extra charge

- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Outward opening with hinged door.
- > Made-to-measure widths.
- > No plastic gaskets.

Optional with extra charge


- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

DOOR	H 200 CM
PRICE STEP	ART.
FROM 50 TO 59 CM	799BIT
FROM 60 TO 69 CM	800BIT
FROM 70 TO 79 CM	801BIT
FROM 80 TO 89 CM	802BIT
FROM 90 TO 99 CM	803BIT

ON-WALL SIDE PANEL

PRICE STEP	ART.
UP TO 69 CM	601MUR
FROM 70 TO 79 CM	602MUR
FROM 80 TO 89 CM	603MUR
FROM 90 TO 99 CM	604MUR
FROM 100 TO 109 CM	605MUR
FROM 110 TO 119 CM	606MUR
FROM 120 TO 129 CM	607MUR
FROM 130 TO 139 CM	608MUR

Made-to-measure height on wall side panel without extra charge.




RIGHT MODEL WITH HANDLE ON THE RIGHT ON-WALL CORNER SIDE PANEL ON THE RIGHT



LEFT MODEL WITH HANDLE ON THE LEFT ON-WALL CORNER SIDE PANEL ON THE LEFT



RIGHT MODEL WITH HANDLE ON THE RIGHT ON-WALL LINEAR SIDE PANEL



LEFT MODEL WITH HANDLE ON THE LEFT ON-WALL LINEAR SIDE PANEL ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the width of the niche and the length of the low partition wall > cover flap
- > the position (right or left) of the handle
- > the height of the on-wall side panel from the shower tray
- > the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 1 cm from the size indicated on confirmation of the order
















- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Outward opening with hinged door.
- > Supplied with a **stabilising tie-rod** included in the price.
- > Made-to-measure widths.
- > No plastic gaskets.

- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159

THE PRICES ARE FOR THE SHOWER ENCLOSURE

- > Special shapes frames PAG. 164
- > Accessories PAG. 170

INCLUDING FIXED SIDES AND DOORS. IT IS POSSIBLE TO REQUEST CUSTOMISED SIZES FOR FIXED AND DOOR, ART. WITHOUT EXTRA CHARGE. 296BIT 297BIT 298BIT 299BIT 300BIT 301BIT

H 200 CM **SCREEN** PRICE STEP FROM **80** TO **89 CM** FROM 90 TO 99 CM FROM 100 TO 109 CM FROM 110 TO 119 CM FROM 120 TO 129 CM FROM **130** TO **139 CM** FROM **140** TO **149** CM 302BIT FROM 150 TO 159 CM 303BIT FROM **160** TO **169 CM** 304BIT FROM **170** TO **179 CM** 305BIT FROM 180 TO 189 CM 306BIT FROM **190** TO **199 CM** 307BIT FROM **200** TO **209 CM** 308BIT FROM 210 TO 219 CM 309BIT FROM **220** TO **229 CM** 310BIT







LEFT MODEL WITH HANDLE ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the recess size of the niche at the three heights > cover flap
- > the position (right or left) of the handle
- the width of the door and the fixed side if different
- the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

COLOURED AND MIRRORED GLASS > PAG. 156

20

BITHIA

TOTAL OR PARTIAL MATT GLASS > PAG. 159

SOLUTION FOR NICHE, RIGHT MODEL (HANDLE ON THE RIGHT) SHOWN.

SHOWER ENCLOSURE WITH OUTWARD OPENING.

SHAPES AND MADE TO SPECIAL PROFILES MEASURE HEIGHTS

ACCESSORIES

www.calibe.co.uk/575

> PAG. 162

> PAG. 170

Extensibility ± 1,5 cm from the size indicated on confirmation of the order

















- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Outward opening with hinged door.
- > Supplied with a **stabilising tie-rod** included in the price.
- > Made-to-measure widths.
- > No plastic gaskets.

- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

SCREEN	H 200 CM
PRICE STEP	ART.
FROM 80 TO 89 CM	296BIT
FROM 90 TO 99 CM	297BIT
FROM 100 TO 109 CM	298BIT
FROM 110 TO 119 CM	299BIT
FROM 120 TO 129 CM	300BIT
FROM 130 TO 139 CM	301BIT
FROM 140 TO 149 CM	302BIT
FROM 150 TO 159 CM	303BIT
FROM 160 TO 169 CM	304BIT
FROM 170 TO 179 CM	305BIT
FROM 180 TO 189 CM	306BIT
FROM 190 TO 199 CM	307BIT
FROM 200 TO 209 CM	308BIT
FROM 210 TO 219 CM	309BIT
FROM 220 TO 229 CM	310BIT


H 200 CM
ART.
400FIS
401FIS
402FIS
403FIS
404FIS
405FIS
406FIS
407FIS
408FIS







LEFT MODEL WITH HANDLE ON THE LEFT FIXED SIDE IN LEFT CORNER



RIGHT MODEL WITH HANDLE ON THE RIGHT FIXED SIDE IN LEFT CORNER



LEFT MODEL WITH HANDLE ON THE LEFT FIXED SIDE IN RIGHT CORNER

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the position (right or left) of the handle
- > the position (right or left) of the fixed side
- > the width of the door and the fixed side if different > the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 1 cm from the size indicated on confirmation of the order

TOTAL OR PARTIAL

SHOWER ENCLOSURE WITH OUTWARD OPENING.

MATT GLASS

> PAG. 159

SHAPES AND MADE TO SPECIAL PROFILES MEASURE HEIGHTS > PAG. 164

ACCESSORIES

www.calibe.co.uk/576

COLOURED AND MIRRORED GLASS > PAG. 156

72

> PAG. 162

CORNER SOLUTION, RIGHT MODEL (HANDLE ON THE RIGHT) - FIXED RIGHT SIDE SHOWN.


> PAG. 170












- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Outward opening with hinged door.
- > Supplied with a **stabilising tie-rod** included in the price.
- > Made-to-measure widths.
- > No plastic gaskets.


- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

SCREEN	H 200 CM
PRICE STEP	ART.
FROM 80 TO 89 CM	296BIT
FROM 90 TO 99 CM	297BIT
FROM 100 TO 109 CM	298BIT
FROM 110 TO 119 CM	299BIT
FROM 120 TO 129 CM	300BIT
FROM 130 TO 139 CM	301BIT
FROM 140 TO 149 CM	302BIT
FROM 150 TO 159 CM	303BIT
FROM 160 TO 169 CM	304BIT
FROM 170 TO 179 CM	305BIT
FROM 180 TO 189 CM	306BIT
FROM 190 TO 199 CM	307BIT
FROM 200 TO 209 CM	308BIT
FROM 210 TO 219 CM	309BIT
FROM 220 TO 229 CM	310BIT

H 200 CM
ART.
400FIS
401FIS
402FIS
403FIS
404FIS
405FIS
406FIS
407FIS
408FIS

THE STABILIZING TIE-ROD IS NECESSARY AND INCLUDED IN THE PRICE, OTHERWISE THE "T" STABILIZING TIE-ROD MAY BE ADDED BY OUT TECHNICAL DEPARTMENT IN CERTAIN SITUATION FOR SAFETY REQUIREMENTS DEPENDING ON THE SIZE OF THE ITEM.





RIGHT MODEL WITH HANDLE ON THE RIGHT

LEFT MODEL WITH HANDLE ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

> the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap

Fixed sides extensibility ± 1 cm from the size indicated on confirmation of the order

- > the position (right or left) of the handle
- the width of the door and the fixed side if different
- the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

www.calibe.co.uk/577

COLOURED AND MIRRORED GLASS > PAG. 156

THREE-SIDE SOLUTION, RIGHT MODEL (HANDLE ON THE RIGHT).

SHOWER ENCLOSURE WITH OUTWARD OPENING.

Shower enclosure with the squared hinges in this hinged door model convey the solidity of steel, in contrast with the purity of the glass. Possible solutions, recess, wall or above wall. Or even two door enclosures with two wall sides plus a fixed one, or with two doors sides and a fixed one.

SHOWER ENCLOSURE WITH OUTWARD OPENING











Made of polished or brushed finishing **Stainless Steel**

8 mm clear tempered glass Standard height 200 cm Made-to-measure widths





OPTIONAL EXTRAS:

Extra-clear, coloured, matt and reflective glass is available > PAG. 154 Custom made heights are available > PAG. 163



DOOR




DOOR + FIXED SIDE







DOOR + **2 FIXED SIDES**



DOOR + ON-WALL SIDE PANEL





SCREEN + FIXED SIDE













- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Outward opening with hinged door.
- > Made-to-measure widths.
- > Profile underneath the door is in Stainless Steel.

Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170


DOOR	H 200 CM
PRICE STEP	ART.
FROM 70 TO 79 CM	799SIL
FROM 80 TO 89 CM	800SIL
FROM 90 TO 99 CM	801SIL
FROM 100 TO 109 CM	802SIL
FROM 110 TO 119 CM	803SIL
FROM 120 TO 129 CM	804SIL
FROM 130 TO 139 CM	805SIL

ANGLED TIE-ROD

DESCRIPTION	ART.
POLISHED STAINLESS STEEL	500TRN
BRUSHED STAINLESS STEEL	510TRN

THE PRICES ARE FOR THE SHOWER ENCLOSURE INLCUDING FIXED SIDES AND DOORS. IT IS POSSIBLE TO REQUEST CUSTOMISED SIZES FOR FIXED AND DOOR, WITHOUT EXTRA CHARGE.











LEFT MODEL WITH HANDLE ON THE LEFT



THE MAXIMUN WIDTH OF THE DOOR IS 75CM.



IF THE FIXED PART OF THE DOOR IS LARGER THAN 30CM, PLEASE ADD A TIE-ROD.



To complete the order please specify:

- > the recess size of the niche at the three heights > cover flap
- > the position (right or left) of the handle
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 1,5 cm from the size indicated on confirmation of the order

WHEN THE DOOR IS OPENED THE ENCUMBER IS 5 CM MORE THAT THE LENGTH OF THE DOOR

Example: door lenght 60 cm, entrance span 60 cm, opened door encumber 65 cm.



SHOWER ENCLOSURE WITH OUTWARD OPENING.

> PAG. 159

SOLUTION FOR NICHE, RIGHT MODEL (HANDLE ON THE RIGHT) SHOWN.


MEASURE HEIGHTS

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170







> Made of polished or brushed finishing Stainless Steel.

SILIS DOOR + FIXED SIDE

- > 8 mm clear tempered glass.
- > Standard height 200 cm.

SILIS

- > Outward opening with hinged door.
- > Made-to-measure widths.
- > Profile underneath the door is in Stainless Steel.


Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170


DOOR	H 200 CM
PRICE STEP	ART.
FROM 70 TO 79 CM	799SIL
FROM 80 TO 89 CM	800SIL
FROM 90 TO 99 CM	801SIL
FROM 100 TO 109 CM	802SIL
FROM 110 TO 119 CM	803SIL
FROM 120 TO 129 CM	804SIL
FROM 130 TO 139 CM	805SIL

ANGLED TIE-ROD


DESCRIPTION	ART.
POLISHED STAINLESS STEEL	500TRN
BRUSHED STAINLESS STEEL	510TRN



THE PRICES ARE FOR THE SHOWER ENCLOSURE INLCUDING FIXED SIDES AND DOORS. IT IS POSSIBLE TO REQUEST CUSTOMISED SIZES FOR FIXED AND DOOR, WITHOUT EXTRA CHARGE.








LEFT MODEL WITH HANDLE ON THE LEFT FIXED SIDE ON THE LEFT







THE MAXIMUN WIDTH OF THE DOOR IS 75CM.



IF THE FIXED PART OF THE DOOR IS LARGER THAN 30CM, PLEASE ADD A TIE-ROD.

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the position (right or left) of the handle
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 1 cm from the size indicated on confirmation of the order

WHEN THE DOOR IS OPENED THE ENCUMBER IS 5 CM MORE THAT THE LENGTH

Example: door lenght 60 cm, entrance span 60 cm, opened door encumber 65 cm.

OF THE DOOR

SHOWER ENCLOSURE WITH OUTWARD OPENING. CORNER SOLUTION, RIGHT MODEL (HANDLE ON THE RIGHT) - FIXED RIGHT SIDE SHOWN.

COLOURED AND MIRRORED GLASS > PAG. 156


SILIS

TOTAL OR PARTIAL MATT GLASS > PAG. 159 > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES MEASURE HEIGHTS > PAG. 164

ACCESSORIES > PAG. 170







- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Outward opening with hinged door.
- > Made-to-measure widths.
- > Profile underneath the door is in Stainless Steel.

Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

DOOR	H 200 CM
PRICE STEP	ART.
FROM 70 TO 79 CM	799SIL
FROM 80 TO 89 CM	800SIL
FROM 90 TO 99 CM	801SIL
FROM 100 TO 109 CM	802SIL
FROM 110 TO 119 CM	803SIL
FROM 120 TO 129 CM	804SIL
FROM 130 TO 139 CM	805SIL

FROM 130 TO 139 CM	
<u> </u>	

ANGLED TIE-ROD

DESCRIPTION	ART.
POLISHED STAINLESS STEEL	500TRN
BRUSHED STAINLESS STEEL	510TRN

EACH FIXED SIDE	H 200 CM
PRICE STEP	ART.
UP TO 59 CM	400FIS
FROM 60 TO 69 CM	401FIS
FROM 70 TO 79 CM	402FIS
FROM 80 TO 89 CM	403FIS
FROM 90 TO 99 CM	404FIS
FROM 100 TO 109 CM	405FIS
FROM 110 TO 119 CM	406FIS
FROM 120 TO 129 CM	407FIS
FROM 130 TO 139 CM	408FIS

RIGHT MODEL WITH HANDLE ON THE RIGHT 2 FIXED SIDES ON THE RIGHT

LEFT MODEL WITH HANDLE ON THE LEFT 2 FIXED SIDES ON THE LEFT THE THREE-SIDED COMBINATION WITH CENTRAL DOOR IS NOT AVAILABLE, ONLY WITH SIDE DOOR.



THE MAXIMUN WIDTH OF THE DOOR IS 75CM.



IF THE FIXED PART OF THE DOOR IS LARGER THAN 30CM, PLEASE ADD A TIE-ROD.

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the position (RIGHT o LEFT) of two fixed sides and the handle
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Fixed sides extensibility ± 1 cm from the size indicated on confirmation of the order

WHEN THE DOOR IS OPENED THE ENCUMBER IS 5 CM MORE THAT THE LENGTH

Example: door lenght 60 cm, entrance span 60 cm, opened door encumber 65 cm.

OF THE DOOR

SHOWER ENCLOSURE WITH OUTWARD OPENING. THREE-SIDE SOLUTION, LEFT MODEL (HANDLE ON THE LEFT) - FIXED LEFT SIDSE SHOWN.

COLOURED AND MIRRORED GLASS > PAG. 156

TOTAL OR PARTIAL MATT GLASS > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170



- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Outward opening with hinged door.
- > Made-to-measure widths.
- > Profile underneath the door is in Stainless Steel.


Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

DOOR	H 200 CM
PRICE STEP	ART.
FROM 70 TO 79 CM	799SIL
FROM 80 TO 89 CM	800SIL
FROM 90 TO 99 CM	801SIL
FROM 100 TO 109 CM	802SIL
FROM 110 TO 119 CM	803SIL
FROM 120 TO 129 CM	804SIL
FROM 130 TO 139 CM	805SIL

ANGLED TIE-ROD

DESCRIPTION	ART.
POLISHED STAINLESS STEEL	500TRN
BRUSHED STAINLESS STEEL	510TRN




PRICE STEP	ART.
UP TO 69 CM	601MUR
FROM 70 TO 79 CM	602MUR
FROM 80 TO 89 CM	603MUR
FROM 90 TO 99 CM	604MUR
FROM 100 TO 109 CM	605MUR
FROM 110 TO 119 CM	606MUR
FROM 120 TO 129 CM	607MUR
FROM 130 TO 139 CM	608MUR



THE MAXIMUN WIDTH OF THE DOOR IS 75CM.




IF THE FIXED PART OF THE DOOR IS LARGER THAN 30CM, PLEASE ADD A TIE-ROD.



RIGHT MODEL WITH HANDLE ON THE RIGHT ON-WALL CORNER SIDE PANEL ON THE RIGHT



LEFT MODEL WITH HANDLE ON THE LEFT ON-WALL CORNER SIDE PANEL ON THE LEFT



RIGHT MODEL WITH HANDLE ON THE RIGHT ON-WALL LINEAR SIDE PANEL



LEFT MODEL WITH HANDLE ON THE LEFT ON-WALL LINEAR SIDE PANEL ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the width of the niche and the length of the low partition wall > cover flap
- > the position (right or left) of the handle and of the on-wall side panel (RIGHT o LEFT)
- > the height of the on-wall side panel from the shower tray
- the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 1 cm from the size indicated on confirmation of the order

WHEN THE DOOR IS OPENED THE ENCUMBER IS 5 CM MORE THAT THE LENGTH OF THE DOOR

Example: door lenght 60 cm, entrance span 60 cm, opened door encumber 65 cm.

COLOURED AND MIRRORED GLASS

> PAG. 156

84

SHOWER ENCLOSURE WITH OUTWARD OPENING.

SHOWER ENCLOSURE WITH OUTWARD OPENING.

SOLUTION FOR NICHE, RIGHT MODEL (HANDLE ON THE RIGHT) - ON-WALL LINEAR SIDE PANEL ON THE RIGHT.

CORNER SOLUTION, RIGHT MODEL (HANDLE ON THE RIGHT) - ON-WALL SIDE PANEL IN THE RIGHT CORNER.

Maria Ma

00












- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Outward opening with hinged door.
- > Supplied with two mandatory **stabilising tie-rods** included in the price.
- > Made-to-measure widths.
- > Profile underneath the door is in Stainless Steel.


SCREEN	H 200 CM
PRICE STEP	TORT.
FROM 100 TO 109 CM	298SIL
FROM 110 TO 119 CM	299SIL
FROM 120 TO 129 CM	300SIL
FROM 130 TO 139 CM	301SIL
FROM 140 TO 149 CM	302SIL
FROM 150 TO 159 CM	303SIL
FROM 160 TO 169 CM	304SIL
FROM 170 TO 179 CM	305SIL
FROM 180 TO 189 CM	306SIL
FROM 190 TO 199 CM	307SIL
FROM 200 TO 209 CM	308SIL
FROM 210 TO 219 CM	309SIL
FROM 220 TO 229 CM	310SIL

Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

THE PRICE IS FOR THE TOTALE WIDTH OF THE DOOR, ANYWAY IT'S POSSIBLE TO CUSTOMIZE THE WIDTH OF THE THREE PARTS WITHOUT EXTRA CHARGE









LEFT MODEL WITH HANDLE ON THE LEFT

THE MAXIMUN WIDTH OF THE DOOR IS 75CM.

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the recess size of the niche at the three heights > cover flap
- > the position (right or left) of the handle
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 1,5 cm from the size indicated on confirmation of the order

WHEN THE DOOR IS OPENED THE ENCUMBER IS 5 CM MORE THAT THE LENGTH OF THE DOOR

Example: door lenght 60 cm, entrance span 60 cm, opened door encumber 65 cm.

COLOURED AND MIRRORED GLASS > PAG. 156

TOTAL OR PARTIAL MATT GLASS > PAG. 159

SOLUTION FOR NICHE, RIGHT MODEL (HANDLE ON THE RIGHT) SHOWN.


SHOWER ENCLOSURE WITH OUTWARD OPENING.

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

www.calibe.co.uk/585

ACCESSORIES > PAG. 170






- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Outward opening with hinged door.
- > Supplied with two mandatory **stabilising tie-rods** included in the price.
- > Made-to-measure widths.
- > Profile underneath the door is in Stainless Steel.

Optional with extra charge


- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

SCREEN	H 200 CM
PRICE STEP	TORT.
FROM 100 TO 109 CM	298SIL
FROM 110 TO 119 CM	299SIL
FROM 120 TO 129 CM	300SIL
FROM 130 TO 139 CM	301SIL
FROM 140 TO 149 CM	302SIL
FROM 150 TO 159 CM	303SIL
FROM 160 TO 169 CM	304SIL
FROM 170 TO 179 CM	305SIL
FROM 180 TO 189 CM	306SIL
FROM 190 TO 199 CM	307SIL
FROM 200 TO 209 CM	308SIL
FROM 210 TO 219 CM	309SIL
FROM 220 TO 229 CM	310SIL

FIXED SIDE	H 200 CM
PRICE STEP	ART.
UP TO 59 CM	400FIS
FROM 60 TO 69 CM	401FIS
FROM 70 TO 79 CM	402FIS
FROM 80 TO 89 CM	403FIS
FROM 90 TO 99 CM	404FIS
FROM 100 TO 109 CM	405FIS
FROM 110 TO 119 CM	406FIS
FROM 120 TO 129 CM	407FIS
FROM 130 TO 139 CM	408FIS







LEFT MODEL WITH HANDLE ON THE LEFT FIXED CORNER SIDE ON THE LEFT

SHOWER ENCLOSURE WITH OUTWARD OPENING. CORNER SOLUTION, RIGHT MODEL (HANDLE ON THE RIGHT) - FIXED RIGHT SIDE SHOWN.

www.calibe.co.uk/586

COLOURED AND MIRRORED GLASS > PAG. 156

88

TOTAL OR PARTIAL MATT GLASS > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the position (right or left) of the handle
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 1 cm from the size indicated on confirmation of the order

WHEN THE DOOR IS OPENED THE ENCUMBER IS 5 CM MORE THAT THE LENGTH OF THE DOOR

Example: door lenght 60 cm, entrance span 60 cm, opened door encumber 65 cm.

Collection characterised by frames, knobs and hinges in Stainless Steel and 8 mm thick glass, with both outward and inward opening to avoid door encumbrance when is open. It is supplied with a floor retaining profile, which guarantees excellent water tightness even whit a built-in shower tray.

Thiana versions are useful solutions for small and medium dimensions bathrooms.

SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING











Made of polished or brushed finishing Stainless Steel


8 mm clear tempered glass Standard height 200 cm Made-to-measure widths




OPTIONAL EXTRAS:

Extra-clear, coloured, matt and reflective glass is available > PAG. 154 Custom made heights from 180 to 230 cm are available > PAG. 163










DOOR

DOOR + FIXED SIDE

DOOR + **ON-WALL SIDE PANEL**







SCREEN

SCREEN + **FIXED SIDE**




Right-handed models with handle on the right are shown. All left-handed models are also available. Non-reversible doors and cabins.














- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Inward/outward opening.
- > Made-to-measure widths.

Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm
- Coloured, reflective or extra-clear glass PAG. 156
 Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

H 200 CM
ART.
799TNA
800TNA
801TNA
802TNA
803TNA









LEFT MODEL WITH HANDLE ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the recess size of the niche at the three heights > cover flap
- > the position (right or left) of the handle
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 1,5 cm from the size indicated on confirmation of the order

COLOURED AND MIRRORED GLASS > PAG. 156

TOTAL OR PARTIAL MATT GLASS > PAG. 159

SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING. SOLUTION FOR NICHE, RIGHT MODEL (HANDLE ON THE RIGHT) SHOWN.

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170

HANDLES > PAG. 168



SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING. CORNER SOLUTION, RIGHT MODEL (HANDLE ON THE RIGHT) - FIXED RIGHT SIDE SHOWN.

www.calibe.co.uk/592

COLOURED AND TOTAL OR PARTIAL MIRRORED GLASS MATT GLASS > PAG. 156 > PAG. 159


MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES

ACCESSORIES > PAG. 170

HANDLES > PAG. 168

THIANA DOOR + FIXED SIDE








Standard features without extra charge

- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Inward/outward opening.
- > Supplied with a **stabilising tie-rod** included in the price.
- > Made-to-measure widths.

Optional with extra charge


- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

DOOR	H 200 CM
PRICE STEP	ART.
FROM 50 TO 59 CM	799TNA
FROM 60 TO 69 CM	800TNA
FROM 70 TO 79 CM	801TNA
FROM 80 TO 89 CM	802TNA
FROM 90 TO 99 CM	803TNA






RIGHT MODEL WITH HANDLE ON THE RIGHT FIXED SIDE ON THE RIGHT



LEFT MODEL WITH HANDLE ON THE LEFT FIXED SIDE ON THE LEFT



RIGHT MODEL WITH HANDLE ON THE RIGHT FIXED SIDE ON THE LEFT



LEFT MODEL WITH HANDLE ON THE LEFT FIXED SIDE ON THE RIGHT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the position (right or left) of the handle
- > the position (right or left) of the fixed side
- the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 0,7 cm from the size indicated on confirmation of the order



SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING. CORNER SOLUTION, RIGHT MODEL (HANDLE ON THE RIGHT) - ON-WALL SIDE PANEL IN THE RIGHT CORNER.



SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING. SOLUTION FOR NICHE, RIGHT MODEL (HANDLE ON THE RIGHT) - ON-WALL LINEAR SIDE PANEL ON THE RIGHT.

www.calibe.co.uk/593

COLOURED AND MIRRORED GLASS > PAG. 156

96

TOTAL OR PARTIAL MATT GLASS > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170

HANDLES > PAG. 168

ON-WALL SIDE PANEL







Standard features without extra charge

- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Inward/outward opening.
- > Supplied with a **stabilising tie-rod** included in the price.
- > Made-to-measure widths.

Optional with extra charge


- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

DOOR	H 200 CM
PRICE STEP	ART.
FROM 50 TO 59 CM	799TNA
FROM 60 TO 69 CM	800TNA
FROM 70 TO 79 CM	801TNA
FROM 80 TO 89 CM	802TNA
FROM 90 TO 99 CM	803TNA

ON-WALL SIDE PANEL

PRICE STEP	ART.
UP TO 69 CM	601MUR
FROM 70 TO 79 CM	602MUR
FROM 80 TO 89 CM	603MUR
FROM 90 TO 99 CM	604MUR
FROM 100 TO 109 CM	605MUR
FROM 110 TO 119 CM	606MUR
FROM 120 TO 129 CM	607MUR
FROM 130 TO 139 CM	608MUR


Made-to-measure height on wall side panel without extra charge.




RIGHT MODEL WITH HANDLE ON THE RIGHT ON-WALL CORNER SIDE PANEL ON THE RIGHT



LEFT MODEL WITH HANDLE ON THE LEFT ON-WALL CORNER SIDE PANEL ON THE LEFT



RIGHT MODEL WITH HANDLE ON THE RIGHT ON-WALL LINEAR SIDE PANEL



LEFT MODEL WITH HANDLE ON THE LEFT ON-WALL LINEAR SIDE PANEL ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the width of the niche and the length of the low partition wall > cover flap
- > the position (right or left) of the handle
- > the height of the on-wall side panel from the shower tray
- > the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 1 cm from the size indicated on confirmation of the order



SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING. SOLUTION FOR NICHE, RIGHT MODEL (HANDLE ON THE RIGHT) SHOWN.

www.calibe.co.uk/594

COLOURED AND TOTAL OR PARTIAL MIRRORED GLASS MATT GLASS > PAG. 156 > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164


ACCESSORIES > PAG. 170

HANDLES > PAG. 168

THIANA







Standard features without extra charge

- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Inward/outward opening.
- > Supplied with a **stabilising tie-rod** included in the price.
- > Made-to-measure widths.

Optional with extra charge


- > Made-to-measure height less than 200 cm or up to 230 cm — PAG. 163
- > Coloured, reflective or extra-clear glass PAG. 156


THE PRICE IS FOR THE TOTALE WIDTH OF THE DOOR,

ANYWAY IT'S POSSIBLE TO CUSTOMIZE THE WIDTH OF THE TWO PARTS WITHOUT EXTRA CHARGE.

- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

H 200 CM **SCREEN** PRICE STEP ART. FROM **80** TO **89 CM** 296TNA FROM 90 TO 99 CM 297TNA FROM **100** TO **109 CM** 298TNA FROM 110 TO 119 CM 299TNA FROM 120 TO 129 CM 300TNA 301TNA FROM **130** TO **139 CM** FROM **140** TO **149** CM 302TNA FROM 150 TO 159 CM 303TNA FROM **160** TO **169 CM** 304TNA FROM **170** TO **179 CM** 305TNA FROM 180 TO 189 CM 306TNA FROM **190** TO **199 CM** 307TNA FROM **200** TO **209 CM** 308TNA FROM 210 TO 219 CM 309TNA FROM **220** TO **229 CM** 310TNA





RIGHT MODEL WITH HANDLE ON THE RIGHT

LEFT MODEL WITH HANDLE ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the recess size of the niche at the three heights > cover flap
- > the position (right or left) of the handle
- the width of the door and the fixed side if different
- the Stainless Steel finishing (polished or brushed) > the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154
- Extensibility ± 1,5 cm from the size indicated on confirmation of the order



SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING. CORNER SOLUTION, RIGHT MODEL (HANDLE ON THE RIGHT) - FIXED RIGHT SIDE SHOWN.

www.calibe.co.uk/595

COLOURED AND TOTAL OR PARTIAL MIRRORED GLASS MATT GLASS > PAG. 156 > PAG. 159


MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170

HANDLES > PAG. 168

THIANA SCREEN + FIXED SIDE




Standard features without extra charge

- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Inward/outward opening.
- > Supplied with a **stabilising tie-rod** included in the price.
- > Made-to-measure widths.

Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

H 200 CM
ART.
296TNA
297TNA
298TNA
299TNA
300TNA
301TNA
302TNA
303TNA
304TNA
305TNA
306TNA
307TNA
308TNA
309TNA
310TNA





DETAIL OF THE "T" STABILISING TIE-ROD.



RIGHT MODEL WITH HANDLE ON THE RIGHT FIXED CORNER SIDE ON THE RIGHT



LEFT MODEL WITH HANDLE ON THE LEFT FIXED CORNER SIDE ON THE LEFT



RIGHT MODEL WITH HANDLE ON THE RIGHT FIXED CORNER SIDE ON THE LEFT



LEFT MODEL WITH HANDLE ON THE LEFT FIXED CORNER SIDE ON THE RIGHT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the position (right or left) of the handle
- the position (right or left) of the fixed side
- the width of the door and the fixed side if different
- > the Stainless Steel finishing (polished or brushed) > the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 0,7 cm from the size indicated on confirmation of the order

Made with frames, knobs and hinges in stainless steel and tempered 8 mm glass, this is the ideal solution for those who need to install a cabin shower in a design-complicated environment. The possibility to decide the lengths of both door and fixed part, allow to optimise the entrance space and the inner and outer dimensions of the moving part. With internal-external opening, Silica is ideal for large showers in bathrooms with limited space.


SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING











Made of polished or brushed finishing **Stainless Steel**


8 mm clear tempered glass Standard height 200 cm Made-to-measure widths






Extra-clear, coloured, matt and reflective glass is available > PAG. 154

Custom made heights are available > PAG. 163

















- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Inward/outward opening.
- > Made-to-measure widths.


- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170


H 200 CM
ART.
799SLC
800SLC
801SLC
802SLC
803SLC
804SLC
805SLC

ANGLED TIE-ROD

DESCRIPTION	ART.
POLISHED STAINLESS STEEL	500TRN
BRUSHED STAINLESS STEEL	510TRN

THE PRICE IS FOR THE TOTALE WIDTH OF THE DOOR, ANYWAY IT'S POSSIBLE TO CUSTOMIZE THE WIDTH OF THE TWO PARTS WITHOUT EXTRA CHARGE





RIGHT MODEL WITH HANDLE ON THE RIGHT





IF THE FIXED PART OF THE DOOR IS LARGER THAN 30CM, PLEASE ADD A TIE-ROD.

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the recess size of the niche at the three heights > cover flap
- > the position (right or left) of the handle
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 1,5 cm from the size indicated on confirmation of the order

104

SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING. SOLUTION FOR NICHE, RIGHT MODEL (HANDLE ON THE RIGHT) SHOWN.

COLOURED AND TOTAL OR PARTIAL MIRRORED GLASS MATT GLASS > PAG. 156 > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170

HANDLES > PAG. 168



SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING. CORNER SOLUTION, RIGHT MODEL (HANDLE ON THE RIGHT) - FIXED RIGHT SIDE SHOWN.

www.calibe.co.uk/602

COLOURED AND TOTAL OR PARTIAL MIRRORED GLASS MATT GLASS > PAG. 156 > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170

HANDLES > PAG. 168









Standard features without extra charge


- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Inward/outward opening.
- > Supplied with a "T" stabilising Tie-rod included in the price.
- > Made-to-measure widths.


Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

DOOR	H 200 CM
PRICE STEP	ART.
FROM 70 TO 79 CM	799SLC
FROM 80 TO 89 CM	800SLC
FROM 90 TO 99 CM	801SLC
FROM 100 TO 109 CM	802SLC
FROM 110 TO 119 CM	803SLC
FROM 120 TO 129 CM	804SLC
FROM 130 TO 139 CM	805SLC

FIXED SIDE	H 200 CM
PRICE STEP	ART.
UP TO 59 CM	520FIS
FROM 60 TO 69 CM	521FIS
FROM 70 TO 79 CM	522FIS
FROM 80 TO 89 CM	523FIS
FROM 90 TO 99 CM	524FIS
FROM 100 TO 109 CM	525FIS
FROM 110 TO 119 CM	526FIS
FROM 120 TO 129 CM	527FIS
FROM 130 TO 139 CM	528FIS







LEFT MODEL WITH HANDLE ON THE LEFT FIXED SIDE ON THE LEFT



DETAIL OF THE "T" STABILISING TIE-ROD.

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the position (right or left) of the handle
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 0,7 cm from the size indicated on confirmation of the order



SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING. CORNER SOLUTION, RIGHT MODEL (HANDLE ON THE RIGHT) - ON-WALL SIDE PANEL IN THE RIGHT CORNER.



SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING. SOLUTION FOR NICHE, RIGHT MODEL (HANDLE ON THE RIGHT) - ON-WALL LINEAR SIDE PANEL ON THE RIGHT.

www.calibe.co.uk/603

COLOURED AND TOTAL OR PARTIAL MIRRORED GLASS MATT GLASS > PAG. 156 > PAG. 159

SILICA

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170

HANDLES > PAG. 168

DN-WALL SIDE PANEL







Standard features without extra charge

- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Inward/outward opening.
- > Supplied with a **stabilising Tie-rod included** in the price (Angled "T" Tie-rod in fixed part above wall).
- > Made-to-measure widths.

Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

DOOR	H 200 CM
PRICE STEP	ART.
FROM 70 TO 79 CM	799SLC
FROM 80 TO 89 CM	800SLC
FROM 90 TO 99 CM	801SLC
FROM 100 TO 109 CM	802SLC
FROM 110 TO 119 CM	803SLC
FROM 120 TO 129 CM	804SLC
FROM 130 TO 139 CM	805SLC

ON-WALL SIDE PANEL

PRICE STEP	ART.
UP TO 69 CM	601MUR
FROM 70 TO 79 CM	602MUR
FROM 80 TO 89 CM	603MUR
FROM 90 TO 99 CM	604MUR
FROM 100 TO 109 CM	605MUR
FROM 110 TO 119 CM	606MUR
FROM 120 TO 129 CM	607MUR
FROM 130 TO 139 CM	608MUR




THE MAXIMUN WIDTH OF THE DOOR IS 75CM.



DETAIL OF THE "T" STABILISING TIE-ROD.


Made-to-measure height on wall side panel without extra charge.



RIGHT MODEL WITH HANDLE ON THE RIGHT ON-WALL CORNER SIDE PANEL ON THE RIGHT



LEFT MODEL WITH HANDLE ON THE LEFT ON-WALL CORNER SIDE PANEL ON THE LEFT



RIGHT MODEL WITH HANDLE ON THE RIGHT ON-WALL LINEAR SIDE PANEL



LEFT MODEL WITH HANDLE ON THE LEFT ON-WALL LINEAR SIDE PANEL ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the width of the niche and the length of the low partition wall > cover flap
- > the position (right or left) of the handle and of the on-wall side panel (RIGHT o LEFT)
- > the height of the on-wall side panel from the shower tray
- > the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 1 cm from the size indicated on confirmation of the order











- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Inward/outward opening.
- > Made-to-measure widths.

Optional with extra charge


- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170


EACH SIDE	H 200 CM
PRICE STEP	ART.
FROM 70 TO 79 CM	500SLC
FROM 80 TO 89 CM	501SLC
FROM 90 TO 99 CM	502SLC
FROM 100 TO 109 CM	503SLC
FROM 110 TO 119 CM	504SLC

ANGLED TIE-ROD

DESCRIPTION	ART.
POLISHED STAINLESS STEEL	500TRN
BRUSHED STAINLESS STEEL	510TRN

IF THE TWO SIDES OF THE SHOWER ENCLOSURE HAVE DIFFERENT DIMENSIONS, THE LAYOUT MUST BE INDICATED WITH A DRAWING.





LEFT DOOR WITH HANDLE

RIGHT DOOR WITH HANDLE ON THE RIGHT ON THE LEFT



THE MAXIMUN WIDTH OF THE DOOR IS 75CM.

IF THE FIXED PART OF THE DOOR IS LARGER THAN 30CM, PLEASE ADD A TIE-ROD.

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the dimensions and the positioning of the two sides if different from each other
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

Extensibility ± 0,7 cm from the size indicated on confirmation of the order

COLOURED AND MIRRORED GLASS > PAG. 156

CORNER SOLUTION.

TOTAL OR PARTIAL MATT GLASS > PAG. 159

SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING.

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

HANDLES

www.calibe.co.uk/604

ACCESSORIES > PAG. 170

> PAG. 168

Flexibility that meets any space and furnishing issue in the bathroom. The shower enclosure interior can be arranged according to taste, and sanitary ware and accessories placed outside, an around it, according to the most functional combination.

SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING














Clear 6 mm tempered glass for the doors and 8 mm for the fixed sides

Standard **height 200 cm**, customized heights not available


Made-to-measure widths

Shower enclosure without dam profile



OPTIONAL EXTRAS:

Extra-clear or smoky grey glass is available > PAG. 154



Right-handed models with handle on the right are shown. All left-handed models are also available. Non-reversible doors and cabins.























- > Made of polished or brushed finishing Stainless Steel.
- > Clear 6 mm tempered glass for the doors and 8 mm for the fixed sides.
- > Standard height 200 cm, customized heights not available.
- > Inward/outward opening.
- > Made-to-measure widths.
- > Shower enclosure without dam profile.

Optional with extra charge

- > Extra-clear or smoky grey glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

DOOR	H 200 CM
PRICE STEP	ART.
FROM 50 TO 59 CM	600PAU
FROM 60 TO 69 CM	601PAU
FROM 70 TO 79 CM	602PAU
FROM 80 TO 89 CM	603PAU
FROM 90 TO 99 CM	604PAU



THE PALAU COLLECTION SHOULD PREFERABLY BE INSTALLED ON THE INNER HALF OF THE TRAY EDGE.





To complete the order please specify:

> the position (right or left) of the handle

> the Stainless Steel finishing (polished or brushed)



LEFT MODEL WITH HANDLE ON THE LEFT

SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING. SOLUTION FOR NICHE, RIGHT MODEL (HANDLE ON THE RIGHT) SHOWN.

www.calibe.co.uk/611

TOTAL OR PARTIAL MATT GLASS > PAG. 159 SPECIAL PROFILES > PAG. 164 ACCESSORIES > PAG. 170


HANDLES > PAG. 168

Extensibility \pm 1,5 cm from the size indicated on confirmation of the order

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

> the recess size of the niche at the three heights > cover flap

> the glass (clear, extra-clear or smoky grey glass) > PAG. 154



SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING. CORNER SOLUTION, RIGHT MODEL (HANDLE ON THE RIGHT) - FIXED RIGHT SIDE SHOWN.

www.calibe.co.uk/612

SHAPES AND MADE TO SPECIAL PROFILES MEASURE HEIGHTS > PAG. 159 > PAG. 162

> PAG. 164

ACCESSORIES > PAG. 170

HANDLES > PAG. 168











Standard features without extra charge

- > Made of polished or brushed finishing Stainless Steel.
- > Clear 6 mm tempered glass for the doors and 8 mm for the fixed sides.
- > Standard height 200 cm, customized heights not available.
- > Inward/outward opening.
- > Supplied with a stabilising tie-rod included in the price.
- > Made-to-measure widths.
- > Shower enclosure without dam profile.


Optional with extra charge

- > Extra-clear or smoky grey glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

DOOR	H 200 CM
PRICE STEP	ART.
FROM 50 TO 59 CM	600PAU
FROM 60 TO 69 CM	601PAU
FROM 70 TO 79 CM	602PAU
FROM 80 TO 89 CM	603PAU
FROM 90 TO 99 CM	604PAU

FIXED SIDE	H 200 CM
PRICE STEP	ART.
UP TO 59 CM	430FIS
FROM 60 TO 69 CM	431FIS
FROM 70 TO 79 CM	432FIS
FROM 80 TO 89 CM	433FIS
FROM 90 TO 99 CM	434FIS
FROM 100 TO 109 C	
FROM 110 TO 119 C	M 436FIS
FROM 120 TO 129 C	437FIS









LEFT MODEL WITH HANDLE ON THE LEFT ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the position (right or left) of the handle
- > the position (right or left) of the fixed side
- > the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear or smoky grey glass) > PAG. 154

Extensibility ± 1 cm from the size indicated on confirmation of the order

TOTAL OR PARTIAL MATT GLASS









- > Made of polished or brushed finishing Stainless Steel.
- > Clear 6 mm tempered glass for the doors and 8 mm for the fixed sides.
- > Standard height 200 cm, customized heights not available.
- > Inward/outward opening.
- > Supplied with a stabilising tie-rod included in the price.
- > Made-to-measure widths.
- > Shower enclosure without dam profile.

DOOR	H 200 CM
PRICE STEP	ART.
FROM 50 TO 59 CM	600PAU
FROM 60 TO 69 CM	601PAU
FROM 70 TO 79 CM	602PAU
FROM 80 TO 89 CM	603PAU
EDOM ON TO OR ON	00 4D411

Optional with extra charge

- > Extra-clear or smoky grey glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

DOOR	H 200 CM
PRICE STEP	ART.
FROM 50 TO 59 CM	600PAU
FROM 60 TO 69 CM	601PAU
FROM 70 TO 79 CM	602PAU
FROM 80 TO 89 CM	603PAU
FROM 90 TO 99 CM	604PAU

ON-WALL SIDE PANEL

ART.
601MUR
602MUR
603MUR
604MUR
605MUR
606MUR
607MUR
608MUR

Made-to-measure height on wall side panel without extra charge.




THE PALAU COLLECTION SHOULD PREFERABLY BE INSTALLED ON THE INNER HALF OF THE TRAY EDGE.



RIGHT MODEL WITH HANDLE ON THE RIGHT ON-WALL CORNER SIDE PANEL ON THE RIGHT


www.calibe.co.uk/613



LEFT MODEL WITH HANDLE ON THE LEFT ON-WALL CORNER SIDE PANEL ON THE LEFT



RIGHT MODEL WITH HANDLE ON THE RIGHT ON-WALL LINEAR SIDE PANEL



LEFT MODEL WITH HANDLE ON THE LEFT ON-WALL LINEAR SIDE PANEL ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the width of the niche and the length of the low partition wall > cover flap
- > the position (right or left) of the handle

- > the height of the on-wall side panel from the shower tray
- > the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear or smoky grey glass) > PAG. 154

TOTAL OR PARTIAL MATT GLASS > PAG. 159

118

SPECIAL PROFILES > PAG. 164

SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING.

SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING.

ACCESSORIES > PAG. 170

SOLUTION FOR NICHE, RIGHT MODEL (HANDLE ON THE RIGHT) - ON-WALL LINEAR SIDE PANEL ON THE RIGHT.

CORNER SOLUTION, RIGHT MODEL (HANDLE ON THE RIGHT) - ON-WALL SIDE PANEL IN THE RIGHT CORNER.

HANDLES

> PAG. 168

Extensibility ± 1 cm from the size indicated on confirmation of the order


















PALAU DOUBLE DOOR


- > Made of polished or brushed finishing Stainless Steel.
- > Clear 6 mm tempered glass for the doors and 8 mm for the fixed sides.
- > Standard height 200 cm, customized heights not available.
- > Inward/outward opening.
- > Made-to-measure widths.
- > Shower enclosure without dam profile.

Optional with extra charge

- > Extra-clear or smoky grey glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

H 200 CM **DOUBLE DOOR** PRICE STEP ART. FROM 60 TO 69 CM 611PAU FROM 70 TO 79 CM 612PAU FROM 80 TO 89 CM 613PAU FROM 90 TO 99 CM 614PAU FROM 100 TO 109 CM 615PAU 616PAU FROM 110 TO 119 CM FROM 120 TO 129 CM 617PAU FROM **130** TO **139 CM** 618PAU

THE PRICE IS FOR THE TOTALE WIDTH OF THE DOOR, ANYWAY IT'S POSSIBLE TO CUSTOMIZE THE WIDTH OF THE TWO PARTS WITHOUT EXTRA CHARGE





THE PALAU COLLECTION SHOULD PREFERABLY BE INSTALLED ON THE INNER HALF OF THE TRAY EDGE.



SYMMETRICAL MODEL

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the recess size of the niche at the three heights > cover flap
- > the measure of the two doors (only in case of different sizes)
- > the Stainless Steel finishing (polished or brushed) the glass (clear, extra-clear or smoky grey glass) > PAG. 154
- Extensibility ± 1,5 cm from the size indicated on confirmation of the order



SOLUTION FOR NICHE.

TOTAL OR PARTIAL MATT GLASS > PAG. 164

SPECIAL PROFILES

ACCESSORIES > PAG. 170

HANDLES > PAG. 168

> PAG. 159









- > Made of polished or brushed finishing Stainless Steel.
- > Clear 6 mm tempered glass for the doors and 8 mm for

- > Made-to-measure widths.

	الح
(IN	XC
, C	ノ








- the fixed sides.
- > Standard height 200 cm, customized heights not available.
- > Inward/outward opening.
- > Supplied with a stabilising tie-rod included in the price.
- > Shower enclosure without dam profile.

Optional with extra charge


- > Extra-clear or smoky grey glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170


DOUBLE DOOR	H 200 CM
PRICE STEP	ART.
FROM 60 TO 69 CM	611PAU
FROM 70 TO 79 CM	612PAU
FROM 80 TO 89 CM	613PAU
FROM 90 TO 99 CM	614PAU
FROM 100 TO 109 CM	615PAU
FROM 110 TO 119 CM	616PAU
FROM 120 TO 129 CM	617PAU
FROM 130 TO 139 CM	618PAU





THE PALAU COLLECTION SHOULD PREFERABLY BE INSTALLED ON THE INNER HALF OF THE TRAY EDGE.







2 SIDE ENCLOSURE FIXED SIDE ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the position (right or left) of the fixed side
- > the measure of the two doors (only in case of different sizes)
- > the Stainless Steel finishing (polished or brushed) > the glass (clear, extra-clear or smoky grey glass) > PAG. 154
- Extensibility ± 1 cm from the size indicated on confirmation of the order



SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING. CORNER SOLUTION WITH FIXED RIGHT SIDE SHOWN.

> PAG. 162

TOTAL OR PARTIAL MATT GLASS MEASURE HEIGHTS > PAG. 159

122

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170

HANDLES > PAG. 168















- > Made of polished or brushed finishing Stainless Steel.
- > Clear 6 mm tempered glass for the doors and 8 mm for the fixed sides.
- > Standard height 200 cm, customized heights not available.
- > Inward/outward opening.
- > Supplied with a stabilising tie-rod and angled tie-rod included in the price.
- > Made-to-measure widths.
- > Shower enclosure without dam profile.

DOUBLE DOOR	H 200 CM
PRICE STEP	ART.
FROM 60 TO 69 CM	611PAU
FROM 70 TO 79 CM	612PAU
FROM 80 TO 89 CM	613PAU
FROM 90 TO 99 CM	614PAU
FROM 100 TO 109 CM	615PAU
FROM 110 TO 119 CM	616PAU
FROM 120 TO 129 CM	617PAU
FROM 130 TO 139 CM	618PAU


Optional with extra charge

- > Extra-clear or smoky grey glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

EACH FIXED SIDE	H 200 CM
PRICE STEP	ART.
UP TO 59 CM	450FIS
FROM 60 TO 69 CM	451FIS
FROM 70 TO 79 CM	452FIS
FROM 80 TO 89 CM	453FIS
FROM 90 TO 99 CM	454FIS
FROM 100 TO 109 CM	455FIS
FROM 110 TO 120 CM	456FIS



THE PALAU COLLECTION SHOULD PREFERABLY BE INSTALLED ON THE INNER HALF OF THE TRAY EDGE.



3 SIDE ENCLOSURE DOUBLE DOOR + 2 FIXED SIDES

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the Stainless Steel finishing (polished or brushed)
- > the measure of the two doors (only in case of different sizes)
- the glass (clear, extra-clear or smoky grey glass) > PAG. 154

Fixed sides extensibility ± 1 cm from the size indicated on confirmation of the order



SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING. THREE-SIDE SOLUTION.

TOTAL OR PARTIAL SHAPES AND MADE TO SPECIAL PROFILES MATT GLASS MEASURE HEIGHTS

> PAG. 164

ACCESSORIES > PAG. 170

HANDLES > PAG. 168 www.calibe.co.uk/616

> PAG. 162

124

PALAU



SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING. CORNER SOLUTION, RIGHT MODEL - ON-WALL SIDE PANEL IN THE RIGHT CORNER.

www.calibe.co.uk/617

TOTAL OR PARTIAL MATT GLASS > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170

HANDLES > PAG. 168

PALAU









Standard features without extra charge

- > Made of polished or brushed finishing Stainless Steel.
- > Clear 6 mm tempered glass for the doors and 8 mm for the fixed sides.
- > Standard height 200 cm, customized heights not available.
- > Inward/outward opening.
- > Supplied with a stabilising tie-rod included in the price.
- > Made-to-measure widths.
- > Shower enclosure without dam profile.

Optional with extra charge

- > Extra-clear or smoky grey glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

DOUBLE DOOR	H 200 CM
PRICE STEP	ART.
FROM 60 TO 69 CM	611PAU
FROM 70 TO 79 CM	612PAU
FROM 80 TO 89 CM	613PAU
FROM 90 TO 99 CM	614PAU
FROM 100 TO 109 CM	615PAU
FROM 110 TO 119 CM	616PAU
FROM 120 TO 129 CM	617PAU
FROM 130 TO 139 CM	618PAU

ON-WALL SIDE PANEL

PRICE STEP	ART.
UP TO 69 CM	601MUR
FROM 70 TO 79 CM	602MUR
FROM 80 TO 89 CM	603MUR
FROM 90 TO 99 CM	604MUR
FROM 100 TO 109 CM	605MUR
FROM 110 TO 119 CM	606MUR
FROM 120 TO 129 CM	607MUR
FROM 130 TO 139 CM	608MUR


Made-to-measure height on wall side panel without extra charge.



THE PALAU COLLECTION SHOULD PREFERABLY BE INSTALLED ON THE INNER HALF OF THE TRAY EDGE.







DOUBLE DOOR ON-WALL CORNER SIDE PANEL ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the width of the niche and the length of the low partition wall > cover flap
- > the position (right or left) of the on-wall corner side panel
- > the height of the on-wall side panel from the shower tray
- > the measure of the two doors (only in case of different sizes)
- > the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear or smoky grey glass) > PAG. 154

Extensibility ± 1 cm from the size indicated on confirmation of the order



SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING. SOLUTION FOR NICHE, RIGHT MODEL (HANDLE ON THE RIGHT) SHOWN.

www.calibe.co.uk/618

TOTAL OR PARTIAL SPECIAL PROFILES MATT GLASS > PAG. 164 > PAG. 159

ACCESSORIES > PAG. 170

HANDLES > PAG. 168














Standard features without extra charge


- > Made of polished or brushed finishing Stainless Steel.
- > Clear 6 mm tempered glass for the doors and 8 mm for the fixed sides.
- > Standard height 200 cm, customized heights not available.
- > Inward/outward opening.
- > Supplied with a stabilising tie-rod included in the price.
- > Made-to-measure widths.
- > Shower enclosure without dam profile.

Optional with extra charge

- > Extra-clear or smoky grey glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

THE PRICE IS FOR THE TOTALE WIDTH OF THE DOOR, ANYWAY IT'S POSSIBLE TO CUSTOMIZE THE WIDTH OF THE TWO PARTS WITHOUT EXTRA CHARGE.








THE PALAU COLLECTION SHOULD PREFERABLY BE INSTALLED ON THE INNER HALF OF THE TRAY EDGE.







LEFT MODEL WITH HANDLE ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the recess size of the niche at the three heights > cover flap
- > the position (right or left) of the handle
- > the measure of the door and fixed side (only in case of different sizes)
- the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear or smoky grey glass) > PAG. 154

Extensibility ± 1,5 cm from the size indicated on confirmation of the order



SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING. CORNER SOLUTION, RIGHT MODEL (HANDLE ON THE RIGHT) - FIXED RIGHT SIDE SHOWN.

www.calibe.co.uk/619

TOTAL OR PARTIAL MATT GLASS MEASURE HEIGHTS > PAG. 159 > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES

> PAG. 170

HANDLES

> PAG. 168

PALAU SCREEN + FIXED SIDE









Standard features without extra charge

- > Made of polished or brushed finishing Stainless Steel.
- > Clear 6 mm tempered glass for the doors and 8 mm for the fixed sides.
- > Standard height 200 cm, customized heights not available.
- > Inward/outward opening.
- > Supplied with a stabilising tie-rod included in the price.
- > Made-to-measure widths.
- > Shower enclosure without dam profile.

Optional with extra charge


- > Extra-clear or smoky grey glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170


SCREEN	H 200 CM
PRICE STEP	ART.
FROM 80 TO 89 CM	296PAU
FROM 90 TO 99 CM	297PAU
FROM 100 TO 109 CM	298PAU
FROM 110 TO 119 CM	299PAU
FROM 120 TO 129 CM	300PAU
FROM 130 TO 139 CM	301PAU
FROM 140 TO 149 CM	302PAU
FROM 150 TO 159 CM	303PAU
FROM 160 TO 169 CM	304PAU
FROM 170 TO 179 CM	305PAU
FROM 180 TO 189 CM	306PAU


FIXED SIDE	H 200 CM
PRICE STEP	ART.
UP TO 59 CM	430FIS
FROM 60 TO 69 CM	431FIS
FROM 70 TO 79 CM	432FIS
FROM 80 TO 89 CM	433FIS
FROM 90 TO 99 CM	434FIS
FROM 100 TO 109 CM	435FIS
FROM 110 TO 119 CM	436FIS
FROM 120 TO 129 CM	437FIS



THE PALAU COLLECTION SHOULD PREFERABLY BE INSTALLED ON THE INNER HALF OF THE TRAY EDGE.







LEFT MODEL WITH HANDLE ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the position (right or left) of the handle
- > the measure of the door and fixed side (only in case of different sizes)
- > the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear or smoky grey glass) > PAG. 154

Extensibility ± 1 cm from the size indicated on confirmation of the order
















- > Made of polished or brushed finishing Stainless Steel.
- > Clear 6 mm tempered glass for the doors and 8 mm for the fixed sides.
- > Standard height 200 cm, customized heights not available.
- > Inward/outward opening.
- > Made-to-measure widths.
- > Shower enclosure without dam profile.

- > Extra-clear or smoky grey glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

EACH SIDE	H 200 CM
PRICE STEP	ART.
FROM 30 TO 39 CM	631PAU
FROM 40 TO 49 CM	632PAU
FROM 50 TO 59 CM	633PAU
FROM 60 TO 69 CM	634PAU
FROM 70 TO 79 CM	635PAU
FROM 80 TO 89 CM	636PAU
FROM 90 TO 99 CM	637PAU







THE PALAU COLLECTION SHOULD PREFERABLY BE INSTALLED ON THE INNER HALF OF THE TRAY EDGE.



LEFT DOOR WITH HANDLE

www.calibe.co.uk/620

RIGHT DOOR WITH HANDLE ON THE RIGHT ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the outer dimensions of the shower tray, and type of installation of the shower tray > cover flap
- > the dimensions and the positioning of the two sides if different from each other
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear or smoky grey glass) > PAG. 154

Extensibility ± 1 cm from the size indicated on confirmation of the order

CORNER SOLUTION.

SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING.

TOTAL OR PARTIAL SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170

HANDLES > PAG. 168

MATT GLASS

> PAG. 159

A shower enclosure made up of simple parting walls with no barriers, for a bathroom where each element gently approaches space, without invading it, a shower enclosure pure glass and minimal wall and floor mount steel mouldings convey sheer luminosity. Straight or jointed steel tie-rods placed in the upper part of the panels ensure lasting thightness, stability, and safety.





8 mm clear tempered glass Standard height 200 and 210 cm


Made-to-measure widths No plastic gaskets





Made of polished or brushed finishing Stainless Steel









NEW SLIM PROFILE

OPTIONAL EXTRAS:


Extra-clear, coloured, matt and reflective glass is available > PAG. 154 Custom made heights are available > PAG. 163









CORNER COMBINATION









SHOWN HERE: SCREENS SHOWER, WALL-MOUNTED ON THE LEFT WITH A STRAIGHT TIE-ROD AND ON THE RIGHT WITH A CORNER TIE-ROD.

> PAG. 162

www.calibe.co.uk/621

TOTAL OR PARTIAL MATT GLASS > PAG. 156 > PAG. 159

MEASURE HEIGHTS

> PAG. 170

TRASPARENZA GLASS SCREEN












Standard features without extra charge

- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 and 210 cm.
- > Supplied with a **stabilising tie-rod included** in the price.
- > Made-to-measure widths.
- > No plastic gaskets.


Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170






As an Option to the straight stabilising tie-rod, it is possible to choose the angled or ceiling tie-rod. However, Calibe's Technical Office reserves the right to modify the choice and position of the stabilising tie-rods, for structural and safety



WITH WALL MOUNTING ON THE RIGHT AND STRAIGHT TIE- ROD

WITH WALL MOUNTING ON THE LEFT AND STRAIGHT TIE-ROD



ANGLED ROD WITHOUT EXTRA CHARGE



EXTRA CHARGE. FOR MAXIMUM H.300 CM CEILINGS.

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the exact measurement of required panel
- > the position of the fixing to the wall (right or left) > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154



COLOURED AND MIRRORED GLASS

SHAPES AND MADE TO SPECIAL PROFILES

ACCESSORIES



SHOWN HERE: CORNER SOLUTION, WALL-MOUNTED ON THE RIGHT.

www.calibe.co.uk/622

MIRRORED GLASS > PAG. 156

TOTAL OR PARTIAL MATT GLASS > PAG. 159

MEASURE HEIGHTS > PAG. 162

> PAG. 164

> PAG. 170

TRASPARENZA CORNER COMBINATION













Standard features without extra charge


- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 and 210 cm.
- > Supplied with a **stabilising tie-rod included** in the price.
- > Made-to-measure widths.
- > No plastic gaskets.

Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170










WITH WALL FIXATION ON THE LEFT STRAIGHT TIE-ROD



As an Option to the straight stabilising tie-rod, it is possible to choose the ceiling tie-rod. However, Calibe's Technical Office reserves the right to modify the choice and position of the stabilising tie-rods, for structural and safety requirements, depending on the size of the item.



CEILING ROD EXTRA CHARGE FOR MAXIMUM H.300 CM CEILINGS.

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the exact measurement of required panel
- > the position of the fixing to the wall (right or left)
- > the Stainless Steel finishing (polished or brushed) the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154



COLOURED AND

TRASPARENZA

SHAPES AND MADE TO SPECIAL PROFILES

ACCESSORIES














- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Supplied with a **stabilising tie-rod included** in the price.
- > Made-to-measure widths.
- > A thin gasket seal is provided between the fixed part and the moving panel and underneath the door.

- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170






If not specified it will be 30 cm.

> The moving panel cannot be installed after sale. > The moving panel door can be maximum 50 cm width.

> The price refers to the total width of the wall (fixed +



RIGHT MODEL WITH STRAIGHT TIE- ROD INWARD/OUTWARD OPENING

LEFT MODEL WITH STRAIGHT TIE- ROD INWARD/OUTWARD OPENING

moving panel).

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the exact total measurement of required panel
- > the position of the fixing to the wall (right or left)
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

SHOWER ENCLOSURE WITH INWARD-OUTWARD OPENING. SHOWN HERE: SOLUTION WALL-MOUNTED ON THE LEFT.

COLOURED AND TOTAL OR PARTIAL MATT GLASS > PAG. 159

MEASURE HEIGHTS

SHAPES AND MADE TO SPECIAL PROFILES

ACCESSORIES

www.calibe.co.uk/623

MIRRORED GLASS > PAG. 156

TRASPARENZA

> PAG. 162

> PAG. 170


















- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 200 cm.
- > Supplied with two mandatory **stabilising tie-rods** included
- > Made-to-measure widths up to 200 cm.
- > No plastic gaskets.

Optional with extra charge

- > Made-to-measure height less than 200 cm or up to 230 cm
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

H 200 CM PRICE STEP ART. FROM **90** TO **99 CM** 551DIV FROM **100** TO **109 CM** 552DIV FROM **110** TO **119 CM** 553DIV CARDBOARD PACKAGING AND FROM 120 TO 129 CM 554DIV **WOODEN CAGE** (Included in the price) FROM **130** TO **139** CM 555DIV FROM 140 TO 149 CM 556DIV FROM **150** TO **159 CM** 557DIV PACKAGING IN A SELF-SUPPORTING 558DIV FROM 160 TO 169 CM WOODEN CRATE FROM **170** TO **179 CM** 559DIV (included in the price) FROM 180 TO 189 CM 560DIV FROM **190** TO **200 CM** 561DIV




CENTRAL BATHROOM WALL WITH STRAIGHT STABILISING TIE-RODS DESIGNED FOR GLASS WITH

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > the exact measurement of required panel
- > the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154



COLOURED AND TOTAL OR PARTIAL MIRRORED GLASS MATT GLASS

> PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES

> PAG.156

The screens are designed to create a protected and collected space, adapting itself to the available surfaces. The opening version is integrated with a steel angle tie-rod, designed to provide stability and security. The door opens outwards and inwards, allowing comfortable entry.










Made of polished or brushed finishing **Stainless Steel** 8 mm clear tempered glass Standard height 150 cm Made-to-measure widths





OPTIONAL EXTRAS:

Extra-clear, coloured, matt and reflective glass is available > PAG. 154 Custom made heights up to 150 cm are available > PAG. 163



Right-handed models are shown. All left-handed models are also available. Non-reversible doors and cabins.

















Standard features without extra charge


- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 150 cm.
- > Made-to-measure widths.

Optional with extra charge


- > Made-to-measure height less than 150 cm PAG. 163
- > Coloured, reflective or extra-clear glass PAG. 156
- Total or partial matt glass PAG. 159
 Special shapes frames PAG. 164
- > Accessories PAG. 170

BATH SCREEN	H 150 CM	
PRICE STEP	ART.	
FROM 40 TO 49 CM	501SPV	
FROM 50 TO 59 CM	502SPV	
FROM 60 TO 69 CM	503SPV	
FROM 70 TO 79 CM	504SPV	
FROM 80 TO 89 CM	505SPV	
FROM 90 TO 99 CM	506SPV	

ANGLED TIE-ROD DESCRIPTION ART. POLISHED STAINLESS STEEL 500TRN BRUSHED STAINLESS STEEL 510TRN



IF THE BATH SCREEN FIX IS LARGER THAN 70CM, PLEASE ADD A TIE-ROD.



NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

> exact total size required

WALL-MOUNTED ON THE RIGHT

- > the position of the fixing to the wall (right or left)
- > the Stainless Steel finishing (polished or brushed)
- the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154



SHOWN HERE: LEFT MODEL, WALL-MOUNTED ON THE LEFT.

COLOURED AND TOTAL OR PARTIAL MIRRORED GLASS MATT GLASS

> PAG. 159

MEASURE HEIGHTS > PAG. 164

> PAG. 162


ACCESSORIES > PAG. 170

www.calibe.co.uk/631

> PAG. 156

SHAPES AND MADE TO SPECIAL PROFILES





INWARD/OUTWARD OPENING. SHOWN HERE: LEFT MODEL, WALL-MOUNTED ON THE LEFT.

www.calibe.co.uk/632

COLOURED AND MIRRORED GLASS > PAG. 156

TOTAL OR PARTIAL MATT GLASS > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170

SOPRAVASCA BATH SCREEN WITH MOVING PANEL

Standard features without extra charge

- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 150 cm.
- > Inward/outward opening.
- > Made-to-measure widths.






Optional with extra charge

- > Made-to-measure height less than 150 cm PAG. 163
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159 > Special shapes frames PAG. 164
- > Accessories PAG. 170

H 150 CM	
ART.	
542SPV	
543SPV	
544SPV	
545SPV	
546SPV	



RIGHT MODEL WALL-MOUNTED ON THE RIGHT

LEFT MODEL WALL-MOUNTED ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > exact total size required
- > the position of the fixing to the wall (right or left)
- > the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154





















- > Made of polished or brushed finishing Stainless Steel.
- > 8 mm clear tempered glass.
- > Standard height 150 cm.
- > Inward/outward opening.
- > Supplied with a **stabilising angle tie-rod included** in the price.
- > Made-to-measure widths.


Optional with extra charge


- > Made-to-measure height less than 150 cm PAG. 163
- > Coloured, reflective or extra-clear glass PAG. 156
- > Total or partial matt glass PAG. 159
- > Special shapes frames PAG. 164
- > Accessories PAG. 170

H 150 CM
ART.
552SPV
553SPV
554SPV
555SPV
556SPV
557SPV
558SPV



- > It is possible to request customised sizes of the two doors (fixed and moving), different from the standard, without extra charge.
- > The moving panel can be maximum 70 cm width.
- > If not specified the fixed will be 30 cm.





RIGHT MODEL WALL-MOUNTED ON THE RIGHT

LEFT MODEL WALL-MOUNTED ON THE LEFT

NON REVERSIBLE MODEL - AVAILABLE COMBINATIONS SHOWN

To complete the order please specify:

- > exact total size required
- > the size of the fixed part if different from 30 cm
- > the position of the fixing to the wall (right or left)
- the Stainless Steel finishing (polished or brushed)
- > the glass (clear, extra-clear, coloured, matt, reflective) > PAG. 154

INWARD/OUTWARD OPENING. SHOWN HERE: LEFT MODEL, WALL-MOUNTED ON THE LEFT.

COLOURED AND MIRRORED GLASS > PAG. 156

SOPRAVASCA

TOTAL OR PARTIAL MATT GLASS > PAG. 159

MEASURE HEIGHTS > PAG. 162

SHAPES AND MADE TO SPECIAL PROFILES > PAG. 164

ACCESSORIES > PAG. 170

www.calibe.co.uk/633

The colour, the absolute key feature in the bathroom, does not stop at the coverings but involves and envelops the shower cabin. **Silver**, **Blue**, **Grey**, **Bronze**, in addition to the elegant **Extra-clear**: for the first time, the shower cabin is coloured. Five different shades for three differents types of glass: **Clear**, **Matt**, **reflective**.

A new and revolutionary concept where colour becomes the soul of the shower cabin.

Standard extra-clear glass

ARAXIS TIRSO

Standard transparent glass

ARBATAX
ARBATAX MOVE
CHIA
JANAS
THIESI
BITHIA
SILIS
THIANA
SILICA
TRASPARENZA
SOPRAVASCA

PROGETTO COLORE

> PAG. 156

MATT GLASS > PAG. 159 CLEAR

MATT

MIRROR



The **Progetto Colore** is available for all models in the following collections:

- > ARBATAX, ARBATAX MOVE, CHIA, JANAS, THIESI, LINEA TRASPARENZA, BITHIA, SILIS, SOPRAVASCA, THIANA, SILICA
- > ARAXIS e TIRSO Already supplied with standard extra-clear glass.

For **PALAU** models, only extra-clear and transparent grey glass are available.

For all CURVED GLASS CABINS (SILANUS and LUNA collections), only matt glass is available.

EXTRA CHARGES TO BE APPLIED TO LIST PRICES:

- > The extra charge is for a 130 cm width glass; for larger widths, the indicated extra charge must be doubled.
- > To apply the same extra charge even in the case of special heights (if available).
- > The standard matt glass (therefore not extra-clear or coloured) is available for all Calibe products.

ARBATAX, ARBATAX MOVE, CHIA, JANAS, THIESI, LINEA TRASPARENZA, BITHIA, SILIS, SOPRAVASCA, THIANA, SILICA			
COLOUR	CLEAR	MATT	MIRROR
	ART.	ART.	ART.
EXTRA-CLEAR	514COL	515COL	NOT AVAILABLE
SILVER	NOT AVAILABLE	NOT AVAILABLE	500COL
BLUE	504COL	505COL	506COL
REY	507COL	508COL	509COL
BRONZE	510COL	511COL	NOT AVAILABLE

ARAXIS, TIRSO Extra-clear glass as standard			
COLOUR	CLEAR	MATT	MIRROR
	ART.	ART.	ART.
SILVER	NOT AVAILABLE	NOT AVAILABLE	701COL
BLUE	702COL	703COL	704COL
GREY	NO EXTRA CHARGE	705COL	706COL
BRONZE	NO EXTRA CHARGE	707COL	NOT AVAILABLE





BRONZE CLEAR TEMPERED GLASS

GREY MIRROR TEMPERED GLASS





It is possible to request to have the total surface of the glass completely matt for all Calibe collections.

For the following collections, it is possible to request a central matt band, 80 cm high:

- > ARAXIS > ARBATAX > ARBATAX MOVE
- > CHIA
- > JANAS
- > THIESI
- > TIRSO
- > BITHIA > SILIS
- > THIANA
- > SILICA
- > TRASPARENZA





EXTRA CHARGES TO BE APPLIED TO LIST PRICES:

		FULL MATT	MATT BAND (H 80 CM)
COLLECTION:	MODEL:	ART.	ART.
ARAXIS	SCREEN, CENTRAL DOOR	506ACD	509ACD
ARBATAX ARBATAX MOVE	FIXED SIDE, ON-WALL SIDE PANEL	501ACD	507ACD
CHIA	SHOWER ENCLOSURE	506ACD	509ACD
JANAS	DOOR	504ACD	508ACD
	FIXED SIDE	501ACD	507ACD
THIESI	DOOR	501ACD	507ACD
	FIXED SIDE, ON-WALL SIDE PANEL	501ACD	507ACD
	2 DOORS SHOWER ENCLOSURE	506ACD	509ACD
TRASPARENZA	SINGLE PANEL	504ACD	508ACD
	CORNER COMBINATION	506ACD	509ACD
	FIXED + MOBILE PANEL	504ACD	508ACD
PALAU	DOOR	501ACD	507ACD
	SCREEN	506ACD	509ACD
	FIXED SIDE, ON-WALL SIDE PANEL	501ACD	507ACD
	DOUBLE DOOR	506ACD	509ACD
	2 DOORS SHOWER ENCLOSURE	506ACD	509ACD
TIRSO	DOOR	501ACD	507ACD
BITHIA THIANA	SCREEN	506ACD	509ACD
	FIXED SIDE E SOPRAMURETTO	501ACD	507ACD
SILIS	DOOR	504ACD	508ACD
SILICA	SCREEN	506ACD	509ACD
	FIXED SIDE, ON-WALL SIDE PANEL	501ACD	507ACD
	2 DOORS SHOWER ENCLOSURE	506ACD	509ACD
SOPRAVASCA	FIXED AND OPENABLE All models	500ACD	NOT AVAILABLE

For all CURVED GLASS CABINS (SILANUS and LUNA collections), only matt glass is available. Price shown on the page for each individual model.

The wide experience of Calibe, a company born with the mission of producing shower cabins entirely in stainless steel, allowed to produce profiles with special sections, solving problems with inclined walls, out of plumb, as well as special mounting (where normal wall attachment is not possible).

Calibe requires precise measurements, drawings and data in order to provide a product that, specially created, solves even the most complicated cases in the best possible way.



SHAPES > PAG. 162

MADE TO MEASURE HEIGHTS > PAG. 163 SPECIAL PROFILES > PAG. 164

CUSTOMIZATIONS

For the BITHIA, SILIS, THIANA, SILICA, LINEA TRASPARENZA and THIESI series, solutions with special glass shapes are available. Below and to the side are a few examples:

MADE TO MEASURE HEIGHTS
EXTRA CHARGES

ARAXIS, TIRSO No heights below 190 cm or over 210 cm are available. FROM 190 TO 209 CM + 15% except H.200 cm **JANAS** No heights below 190 cm or over 210 cm

are available. FROM 190 TO 210 CM + 15% except H.200 cm

ARBATAX. CHIA, THIESI, BITHIA, SILIS, THIANA, SILICA

MEASURES < 200 CM MEASURES > 200 CM + 25% Heights up to 230 cm are available.

TRASPARENZA

MEASURES < 200 CM + 15% from the price of the corresponding item H.200 cm MEASURES > 200 CM + 25% from the price of the corresponding item H.200 cm except H. 210 cm

Heights up to 230 cm are available.

SOPRAVASCA

MEASURES < 150 CM + 15%

No heights greater than 150 cm are available.

PALAU

No heights below or over 200 cm are available.

SILANUS, LUNA

No heights below or over 190 cm are available..



SPECIAL SHAPED SOLUTION. SPECIAL SHAPED SOLUTION.

LATERAL ANCHORING UPRIGHT


DESCRIPTION

LATERAL FIXING PROFILE

500AGL










OTHER SPECIAL MOUNTING SOLUTIONS ARE AVAILABLE, PLEASE ASK FOR A QUOTATION.

To complete the order it is essential to specify the **size of the niche** in addition to the **standard measurements** required with finished tiling. Please note: the solution illustrated in the image is only an example.

STRAIGHTENING UPRIGHT

DESCRIPTION ART.
STRAIGHTENING PROFILE 500CRT






OTHER SPECIAL MOUNTING SOLUTIONS ARE AVAILABLE, PLEASE ASK FOR A QUOTATION.

To complete the order it is necessary to provide a template to detect the exact inclination of the wall.

Please note: the solution illustrated in the image is only an example.

164



HANDLES > PAG. 168

TOWEL HOLDER AND HANGER> PAG. 170

SOFT CLOSE > PAG. 171 SHOWER COLUMNS > PAG. 172

HANDLES



ARBATAX HANDLE Available only for the ARBATAX collection.



CHIA HANDLE Available only for the CHIA collection.





BITHIA / SILIS HANDLE

This handle, standard in the BITHIA and SILIS collections, can also be used upon request in the PALAU, THIANA and SILICA collections, with an extra charge.

FINISHING	ART.
POLISHED STAINLESS STEEL	500MBS
BRUSHED STAINLESS STEEL	501MBS

THIESI HANDLE

This handle, standard in the THIESI collection, can also be used upon request in the PALAU, THIANA and SILICA collections, with an extra charge.

FINISHING	ART.
POLISHED STAINLESS STEEL	500MTH
BRUSHED STAINLESS STEEL	501MTH





TOWEL HOLDER

Available for the collections: LINEA TRASPARENZA, BITHIA, SILIS, PALAU, THIANA, SILICA, THIESI, ARBATAX, TIRSO, JANAS.

- > Standard width 40 cm.
- > Different widths available on request.
- > Can be positioned on the glass of the fixed side.

FINISHING	ART.
POLISHED STAINLESS STEEL	500MPS
BRUSHED STAINLESS STEEL	501MPS



STAINLESS STEEL HANGER

Stainless steel hanger that can be installed on the 8 mm thick fixed glass (for all collections).

- > It is possible to decide the position of the hamger on the glass (both vertical and horizontal). If not specified, the hanger will be positioned at our standard.
- > Several hangers can be placed on the same glass.
- > The choice of the hanger and its position must be ordered together with the cabin, as it is not possible to add them later.

FINISHING	ART.
POLISHED STAINLESS STEEL	500GNC
BRUSHED STAINLESS STEEL	501GNC



SOFT CLOSE


Available for ARBATAX models

Assisted closing system for models in the ARBATAX collection. Supplied as standard in the ARAXIS collection.

- > It allows "soft" closing, avoiding a violent impact from the sliding door against the frame.
- > The system is mounted inside the upper frame of the cabin and therefore is completely hidden.

IT MUST BE ORDERED AT THE SAME TIME AS THE CABIN.

FINISHING	ART.
SOFT CLOSE	500SFC



www.calibe.co.uk/653



EXTREM P

Shower columns and accessories made entirely of polished or brushed stainless steel.

- > Includes: 2-way thermostatic mixer, additional movable showerhead with connection on lower pipe and storage tray.
- > Available with straight (corner) or curved spout end.
- > The fixture is attached to the wall.
- > A Ø 20 cm showerhead is available

FINISHING	ART.
Straight polished stainless steel spout	500EXP
Straight brushed stainless steel spout	501EXP
Curved polished stainless steel spout	502EXP
Curved brushed stainless steel spout	503EXP



SHOWERHEAD Ø200 MM

Showerhead made of stainless steel, only available for Extrem mixers with curved spout.

FINISHING	ART.
POLISHED STAINLESS STEEL	524ACC
BRUSHED STAINLESS STEEL	525ACC





www.calibe.co.uk/653

EXTREM P2

Shower equipment and accessories made entirely of polished or satin stainless steel.

- > Includes: 2-way thermostatic mixer, additional movable showerhead with connection on upper pipe and storage tray.
- > Available with straight (corner) or curved spout end.
- > The fixing is attached to the wall.
- > A Ø 20 cm showerhead is available

FINISHING	ART.
Straight polished stainless steel spout	504EXP
Straight brushed stainless steel spout	505EXP
Curved polished stainless steel spout	506EXP
Curved brushed stainless steel spout	507EXP



SHOWERHEAD Ø200 MM

Showerhead made of stainless steel, only available for Extrem mixers with curved spout.

FINISHING	ART.
POLISHED STAINLESS STEEL	524ACC
BRUSHED STAINLESS STEEL	525ACC



SHOWER COLUMNS

www.calibe.co.uk/653



EXTREME A

Shower columns and accessories made entirely of polished or brushed stainless steel.

- > Includes: 2-way thermostatic mixer, additional movable showerhead with connection on lower pipe and shelf.
- > Available with straight (corner) or curved spout end.
- > The fixture is attached to the wall.
- > A Ø 20 cm showerhead is available

FINISHING	ART.
Straight polished stainless steel spout	500EXA
Straight brushed stainless steel spout	501EXA
Curved polished stainless steel spout	502EXA
Curved brushed stainless steel spout	503EXA



SHOWERHEAD Ø200 MM

Showerhead made of stainless steel, only available for Extrem mixers with curved spout.

FINISHING	ART.
POLISHED STAINLESS STEEL	524ACC
BRUSHED STAINLESS STEEL	525ACC





TOTEM

Sliding rail made entirely of polished or satin stainless steel.

- > Equipped with an adjustable movable showerhead and a height-adjustable storage tray.
- > Rail length 90 cm.
- > The fixture is attached to the wall.

FINISHING	ART.
POLISHED STAINLESS STEEL	500TOT
BRUSHED STAINLESS STEEL	501TOT
POLISHED STAINLESS STEEL WITH STORAGE TRAY	502TOT
BRUSHED STAINLESS STEEL WITH STORAGE TRAY	503TOT



A Control system

LEAK-FREE® SYSTEM

Internationally patented system, unique in the bathroom market, avoid any point of contact between shower tray and cabin.

The tray and cabin elements are separated, thus preventing the accumulation of mould, bacterial charges, stagnating dirt and limestone in difficult-to-clean corners. The Leak-Free system allows cabins to be installed without the use of silicone, and guarantees absolute cleanliness and hygiene.





SILANUS

Cabin with central sliding door

- > 91x91 cm
- > 91x74 cm right and left



LUNA

Cabin with two inward/outward opening doors

- > 91X91 cm
- > 91X74 cm right and left



IMPORTANT: TO ENSURE THE CORRECT FUNCTIONING OF PRODUCTS USING THE LEAK-FREE SYSTEM, IT IS ADVISABLE TO FOLLOW THE FOLLOWING INDICATIONS WHEN INSTALLING SHOWER TRAYS:

- > The tray must be recessed before laying the floor and coating.
- > The tiling must never cover the red adhesive strips on the shower tray of the edge of the trays.
- > It is therefore advisable to inform the installer of the thickness of the material to be used to tile the walls.

FIRE-CLAY TRAYS





DAM FIRE-CLAY 91X74

WHITE FIRE-CLAY TRAY

91X74 CM - HEIGHT 10 CM





LEFT

502DAM

DAM FIRE-CLAY 91X91

DAM FIRE-CLAY 91X74 RIGHT

DAM FIRE-CLAY 91X74 LEFT

DESCRIPTION	ART.
DAM FIRE-CLAY 91X91	
WHITE FIRE-CLAY TRAY 91X91 CM - HEIGHT 10 CM	500DAM



RIGHT

501DAM



DESCRIPTION	ART.
DRAIN OUTLET Ø 60 MM	
POLISHED STAINLESS STEEL	508ACC
BRUSHED STAINLESS STEEL	518ACC



DAM NON-SLIP WOODEN FOOTBOARDS

For LEAK-FREE® System

DESCRIZIONE	ART.	
91X91 CM WOODEN FOOTBOARD WITH WENGE FINISH	530ACC	
91X91 CM WOODEN FOOTBOARD WITH BEECH FINISH	531ACC	
91X91 CM WOODEN FOOTBOARD WITH CHERRY FINISH	532ACC	
DESCRIZIONE	ART.	
RIGHT 91X74 CM WOODEN FOOTBOARD WITH WENGE FINISH	533ACC	
RIGHT 91X74 CM WOODEN FOOTBOARD WITH BEECH FINISH	534ACC	
RIGHT 91X74 CM WOODEN FOOTBOARD WITH CHERRY FINISH	535ACC	
LEFT 91X74 CM WOODEN FOOTBOARD WITH WENGE FINISH	536ACC	
LEFT 91X74 CM WOODEN FOOTBOARD WITH BEECH FINISH	537ACC	
LEFT 91X74 CM WOODEN FOOTBOARD WITH CHERRY FINISH	538ACC	








FOOTBOARD 91X91 CM

FOOTBOARD 91X74 CM RIGHT

FOOTBOARD 91X74 CM LEFT

_ 6/



OPENING WITH CENTRAL SLIDING DOOR. SHOWN HERE: CORNER SOLUTION, UNIQUE MODEL (HANDLE ALWAYS ON THE RIGHT).

www.calibe.co.uk/641

FIRE-CLAY TRAYS WOODEN FOOTBOARD > PAG. 178 > PAG. 179

SILANUS 91x91







Self-supporting structure with central sliding door.

The installation is fixed on the wall according to the exclusive **LEAK-FREE®** system, with trays available in Fire-Clay ceramic (height 10 cm) and the relative drain outlets.

- > Made of polished or brushed finishing Stainless Steel.
- > 6 mm clear or matt tempered glass.
- > The **height is 190 cm from the top edge of the tray**, and can not be changed.


Optional with extra charge

- > Fire-Clay ceramic trays (10 cm high) are availablePAG. 178
- > For the DAM trays with the LEAK-FREE® system, the non-slip wooden footboards are available in three different colours — PAG. 179

FINISHING	GLASS	ART.
POLISHED STAINLESS STEEL	CLEAR	500SLN
POLISHED STAINLESS STEEL	MATT	504SLN
BRUSHED STAINLESS STEEL	CLEAR	501SLN
BRUSHED STAINLESS STEEL	MATT	505SLN



HANDLE ALWAYS ON THE RIGHT, THEREFORE OPENING ONLY FROM RIGHT TO LEFT.



SYMMETRICAL UNIQUE MODEL WITH HANDLE ALWAYS ON THE RIGHT



DAM FIRE-CLAY 91X91 — PAG. 178



OPENING WITH CENTRAL SLIDING DOOR. SHOWN HERE: CORNER SOLUTION, RIGHT MODEL (HANDLE ON THE RIGHT).

www.calibe.co.uk/642

FIRE-CLAY TRAYS WOODEN FOOTBOARD > PAG. 178 > PAG. 179

SILANUS 91x74







Self-supporting structure with central sliding door.

The installation is fixed on the wall according to the exclusive **LEAK-FREE®** system, with trays available in Fire-Clay ceramic (height 10 cm) and the relative drain outlets.

- > Made of polished or brushed finishing Stainless Steel.
- > 6 mm clear or matt tempered glass.
- > The height is 190 cm from the top edge of the tray, and can not be changed.


Optional with extra charge

- Fire-Clay ceramic trays (10 cm high) are available
 PAG. 178
- > For the DAM trays with the LEAK-FREE® system, the non-slip wooden footboards are available in three different colours — PAG. 179


FINISHING	GLASS	ART.	
		RIGHT	LEFT
POLISHED STAINLESS STEEL	CLEAR	502SLN	512SLN
POLISHED STAINLESS STEEL	MATT	506SLN	516SLN
BRUSHED STAINLESS STEEL	CLEAR	503SLN	513SLN
BRUSHED STAINLESS STEEL	MATT	507SLN	517SLN



HANDLE ALWAYS POSITIONED ON THE SHORT SIDE OF THE CABIN.
WHEN SPECIFYING THE COMBINATION OF ITEMS, PAY ATTENTION TO THE MODEL OF TRAY AND CUBICLE DESIRED.



RIGHT MODEL WITH HANDLE ON THE RIGHT



LEFT MODEL WITH HANDLE ON THE LEFT





DAM FIRE-CLAY 91X74 RIGHT — PAG. 178

DAM FIRE-CLAY 91X74 LEFT — PAG. 178



OPENING WITH CENTRAL SLIDING DOOR. SHOWN HERE: CORNER SOLUTION, SYMMETRICAL MODEL 90X90 (HANDLE ALWAYS ON THE RIGHT).

www.calibe.co.uk/643









Self-supporting structure with central sliding door.

Installation takes place near the internal side of the edge of the standard shower tray or directly on the floor.

- > Made of polished or brushed finishing Stainless Steel.
- > 6 mm clear or matt tempered glass.
- > The height is 190 cm from the top edge of the tray, and can not be changed.

STANDARD 90X90

HANDLE ALWAYS ON THE RIGHT, THEREFORE OPENING ONLY FROM RIGHT TO LEFT

FINISHING	GLASS	TRAY SIZE	ART.
POLISHED STAINLESS STEEL	CLEAR	90X90 CM	650SLN
POLISHED STAINLESS STEEL	MATT	90X90 CM	651SLN
BRUSHED STAINLESS STEEL	CLEAR	90X90 CM	652SLN
BRUSHED STAINLESS STEEL	MATT	90X90 CM	653SLN


NB: This cabin is compatible with 90x90 shower trays with a 55 cm radius.

STANDARD 100X80


THE HANDLE IS ALWAYS POSITIONED ON THE SHORT SIDE OF THE CABIN

FINISHING	GLASS	TRAY SIZE	ART.	
			RIGHT	LEFT
POLISHED STAINLESS STEEL	CLEAR	100X80 CM	656SLN	661SLN
POLISHED STAINLESS STEEL	MATT	100X80 CM	657SLN	662SLN
BRUSHED STAINLESS STEEL	CLEAR	100X80 CM	658SLN	663SLN
BRUSHED STAINLESS STEEL	MATT	100X80 CM	659SLN	664SLN


NB: This cabin is compatible with 100x80 shower trays with a 38 cm radius.



MODEL FOR 90X90 TRAY WITH HANDLE ALWAYS ON THE RIGHT



MODEL FOR 100X80 TRAY WITH HANDLE AND SHORT SIDE ON THE RIGHT



MODEL FOR 100X80 TRAY WITH HANDLE AND SHORT SIDE ON THE LEFT



OPENING WITH DOORWAY WITH TWO DOORS OPENING INWARD/OUTWARD. SHOWN HERE: CORNER SOLUTION, SYMMETRICAL MODEL 91X91.

www.calibe.co.uk/651

FIRE-CLAY TRAYS WOODEN FOOTBOARD > PAG. 178 > PAG. 179

LUNA INOX 91x91 / 91x74







Self-supporting structure with doorway with two doors opening inward/outward.

Installation is carried out in a wall-mounted version according to the exclusive **LEAK-FREE® system** with Fire-Clay ceramic trays (10 cm high) and the relative drain outlets.

- > Made of polished or brushed finishing Stainless Steel.
- > 6 mm clear or matt tempered glass.
- > The **height is 190 cm from the top edge of the tray**, and can not be changed.

Optional with extra charge

- Fire-Clay ceramic trays (10 cm high) are available
 PAG. 178
- > For the DAM trays with the LEAK-FREE® system, the non-slip wooden footboards are available in three different colours — PAG. 179

LUNA INOX 91X91 CM


FINISHING	GLASS	ART.
POLISHED STAINLESS STEEL	CLEAR	600LUN
POLISHED STAINLESS STEEL	MATT	604LUN
BRUSHED STAINLESS STEEL	CLEAR	601LUN
BRUSHED STAINLESS STEEL	MATT	605LUN

LUNA INOX 91X74 CM


FINISHING	GLASS	ART.	
		RIGHT	LEFT
POLISHED STAINLESS STEEL	CLEAR	602LUN	612SLN
POLISHED STAINLESS STEEL	MATT	606LUN	616SLN
BRUSHED STAINLESS STEEL	CLEAR	603LUN	613SLN
BRUSHED STAINLESS STEEL	MATT	607LUN	617SLN



WHEN SPECIFYING THE COMBINATION OF ITEMS, PAY ATTENTION TO THE MODEL OF TRAY AND CUBICLE DESIRED, SPECIFYING RIGHT OR LEFT.



SYMMETRICAL MODEL 91X91



RIGHT MODEL 91X74 WITH SHORT SIDE ON THE RIGHT



LEFT MODEL 91X74 WITH SHORT SIDE ON THE LEFT



DAM FIRE-CLAY 91X91 — PAG. 178




DAM FIRE-CLAY 91X74 RIGHT — PAG. 178



DAM FIRE-CLAY 91X74 LEFT — PAG. 178





Self-supporting structure with doorway with two doors opening inward/outward.

Installation takes place near the internal side of the edge of the standard shower tray or directly on the floor.

- > Made of polished or brushed finishing Stainless Steel.
- > 6 mm clear or matt tempered glass.
- > The height is 190 cm from the top edge of the tray, and can not be changed.

STANDARD 80X80 E 90X90


FINISHING	GLASS	TRAY SIZE	ART.
POLISHED STAINLESS STEEL	CLEAR	80X80 CM	666LUN
POLISHED STAINLESS STEEL	MATT	80X80 CM	667LUN
BRUSHED STAINLESS STEEL	CLEAR	80X80 CM	668LUN
BRUSHED STAINLESS STEEL	MATT	80X80 CM	669LUN
POLISHED STAINLESS STEEL	CLEAR	90X90 CM	670LUN
POLISHED STAINLESS STEEL	MATT	90X90 CM	671LUN
BRUSHED STAINLESS STEEL	CLEAR	90X90 CM	672LUN
BRUSHED STAINLESS STEEL	MATT	90X90 CM	673LUN

NB: This cabin is compatible with 80x80 and 90x90 shower trays with a 55 cm radius.


STANDARD 90X70 E 100X80

FINISHING	GLASS	TRAY SIZE	ART.	
			RIGHT	LEFT
POLISHED STAINLESS STEEL	CLEAR	90X70 CM	680LUN	681LUN
POLISHED STAINLESS STEEL	MATT	90X70 CM	682LUN	683LUN
BRUSHED STAINLESS STEEL	CLEAR	90X70 CM	684LUN	685LUN
BRUSHED STAINLESS STEEL	MATT	90X70 CM	686LUN	686LUN
POLISHED STAINLESS STEEL	CLEAR	100X80 CM	688LUN	689LUN
POLISHED STAINLESS STEEL	MATT	100X80 CM	690LUN	691LUN
BRUSHED STAINLESS STEEL	CLEAR	100X80 CM	692LUN	693LUN
BRUSHED STAINLESS STEEL	MATT	100X80 CM	694LUN	695LUN

NB: This cabin is compatible with 90x70 and 100x80 shower trays with a 38 cm radius...



SYMMETRICAL MODEL FOR 80X80 AND 90X90



MODEL FOR 90X70 AND 100X80 TRAY MODEL FOR 90X70 AND 100X80 TRAY WITH SHORT SIDE ON THE LEFT





GENERAL TERMS OF SALE

Orders can be either modified or cancelled no later than 2 days prior to the order confirmation date.

No complaints shall be accepted relating to products that have already installed.

No complaints will be accepted relating to products received with damaged packaging. Eventual damages must be clearly noted on the bill of leading. The claims must be notified to Calibe within 8 days from the reception date.

To order any spare parts (including gaskets) it is necessary to specify either the invoice or the transport document relating to the product for which the spare parts are required.

Prices including standard packaging.

Calibe reserves the right to modify products and technical specifications of its collections whenever necessary without previous notice.

ATTENTION!

The images shown in this price list are only indicative and not binding relatively to the ended product details.

GRAPHIC DESIGN – ELISA DE MARCHI

3D RENDERING – ORYGINE

COLOR SEPARATION – DOTCODE


PRINTED – IN ITALY BY GRAFICHE ANTIGA 10.2019


HOW TO TAKE THE MEASURE


To avoid any mistakes, measurements must always be taken after floor and wall tiling.

In order to achieve a perfect installation, it is essential that the shower tray has been correctly installed and that it is perfectly leveled.

Instead, in case of edgeless or "floor level" shower tray installation, it is necessary that the correct inner slope is taken into consideration and complied with.








RECESS SIZES AFTER WALL TILING AT HEIGHTS 0, 100 AND 200 CM


> Y: Recess size after tiling X: Outer tray size after tiling


SHOWER ENCLOSURES:


After completing floor and wall tiling, measure the outer edge of the shower tray sides. The position in which the shower enclosure will be installed (A, B, C, D) must be clearly indicated on the order. These are the most frequent positions.

Attention: if you wish to specify the measurements required for the enclosure, regardless of the shower tray or the structure where the enclosure will be installed, please specify clearly on the order: "REAL MEASUREMENTS OF FINISHED ENCLOSURE".









VIA CASSOLA, 30 - MONTEVEGLIO 40053 VALSAMOGGIA (BO) ITALY

T. +39 051 960320 F. +39 051 964094

INFO@CALIBE.IT CALIBE.IT

STANDARD SHOWER TRAY INSTALLED ON THE FLOOR

The shower enclosure will be made smaller than the specified

FLOOR-LEVEL SHOWER TRAY

The shower enclosure will be the same size or larger than the specified size, since it will be installed on the joint that divides the shower tray from the ground to the slope starting line. outside.

The shower enclosure will be

produced to be installed in an external position with respects

INSTALLATION TO BE CARRIED INSTALLATION TO BE CARRIED OUT DIRECTLY ON THE FLOOR OUT ON THE FLOOR WITH LOWER INNER SHOWER TRAY

The shower enclosure will be produced to be installed in an external position with respects to the shower tray.

CALIBE SRL

VIA CASSOLA, 30 - MONTEVEGLIO 40053 VALSAMOGGIA (BO) ITALY

T. +39 051 960320 F. +39 051 964094

INFO@CALIBE.IT CALIBE.IT